

# INDUSTRIAL SOLUTIONS

**THE GROWING CORDLESS FAMILY**  
*including NEW Li-Ion Range*

**IT'S ALL ABOUT  
POWER**



**Ask your Industrial Account Manager for a demo**

Tel: 01536 413904  
Email: [industrialuk@snapon.com](mailto:industrialuk@snapon.com)  
[www.snapon.com/industrialuk](http://www.snapon.com/industrialuk)

**Industrial  
Account  
Holders Only**

**Snap-on**

**90**  
1920  
2010



# HEAVY DUTY CORDLESS FO

## IMPACT WRENCHES

### CTU4410A

#### 3/8" 14.4V CORDLESS IMPACT WRENCH

Includes Cordless Impact Wrench, **two** 2.4Ahr Ni-Cad Batteries (CTB4185), Charger (CTCFU420) and Case (PB165).

### CTU4450A

#### 1/2" 14.4V CORDLESS IMPACT WRENCH

Includes Cordless Impact Wrench, **two** 2.4Ahr Ni-Cad Batteries (CTB4185), Charger (CTCFU420) and Case (PB165).

- 230 ft. lb. Bolt Break Away Torque (BBT)
- 150 ft. lb. of Recommended Working Torque
- Blows per minute 2,900
- 2,300 RPM
- Small and lightweight (2.1kgs, incl battery)
- Super heavy duty impact mechanism
- Ergonomic over moulded cushion grip with oversized trigger
- Dual rail, slide-on battery pack charges in approx 45mins
- Heat treated alloy gears
- Effective air flow system



### CTU6850


#### 1/2" 18V CORDLESS IMPACT WRENCH

Includes impact wrench, **two** 2.5Ahr CTB4187 Ni-Cad Battery Packs and CTCFU620 Charger in PB165 storage case.

### CTU6855

#### 1/2" 18V CORDLESS IMPACT WRENCH - LI-ION

Includes impact wrench, 3.0Ahr CTB6185 Li-Ion Battery Pack and CTCFU620 Charger in PB165 storage case.



- 400 ft. lbs. Torque Output
- 620 ft. lbs. Bolt Breakaway Torque Output
- Blows per minute 2,100
- 2,200 RPM
- Unique Forward/Reverse Switch
- Weighs 3.4kgs incl Ni-Cad battery - 3.0kgs incl Li-Ion battery
- Dual rail, slide-on battery pack charges in approx 40mins
- Ergonomic over moulded cushion grip



### CTU561

#### 3/8" 7.2V CORDLESS IMPACT WRENCH

#### HIGH POWER IN A SMALL PACKAGE

- Gives better access to get the job done quicker
- 95ft lbs of breakaway torque
- Blows per minute 3,000
- 2,500 RPM
- Removes 300 bolts on one battery charge
- Soft grip handle - work longer with less fatigue
- Great for use where space is limited



## BATTERIES / CHARGERS

NEW!



#### CTCFU620 Battery Charger - Li-Ion and NiCad

Charges all 14.4v and 18v Ni-Cad and Lithium Ion Slide-on style battery packs. 5.0amp charge rate charges Li-Ion batteries to 80% in 30 minutes. Large power gauge and fault indicators.



#### CTCFU420 Battery Charger - NiCad only

Charges 9.6, 12, 14.4 and 18-volt post-style Snap-on® battery packs plus the newer CTB4185 Series Slide-on style battery packs.



#### CTCFU572 Battery Charger - 7.2v

7.2VDC battery charger for CTB5172 batteries.



#### CTB6185 18v Lithium Ion Battery

18VDC Lithium slide-on battery pack for Snap-on® CT6855 Series Impact Wrenches and CDR6855 Series Drills. High capacity 3.0Amp hr battery delivers up to 47% increase in run time. 36% lighter than Ni-Cad battery. Up to 50% longer battery life with visible power gauge.



#### CTB4187 18v NiCad Battery

18VDC slide-on battery pack for Snap-on® CT4850 Series Impact Wrenches and CDR4850 Series Drills.

#### Li-Ion Battery Features

- ✓ High capacity 3.0 Amp hr battery delivers up to a 47% Increase in Run Time
- ✓ 36% Lighter than Ni-Cad Battery (1.6 lbs vs. 2.5 lbs)
- ✓ Up to 50% Longer Battery Life (Cycle Life)
- ✓ Battery Fuel Gauge
- ✓ Holds Charge Longer / Virtually no self-discharge
- ✓ Backwards compatible with existing Ni-CAD Tools (Same Battery Interface)
- ✓ 2 year / 1000 charges warranty



## DRILLS

### CDRU4450 1/2" 14.4V COMPACT CORDLESS DRILL

Includes cordless drill, **two** 2.4Ahr CTB4147 Ni-Cad Batteries, CTCFU620 Charger, CDR4850-40 Handle and PB165 Storage Case.

### CDRU6850 1/2" 18V CORDLESS DRILL

Includes driver/drill, **two** 2.5Ahr CTB4187 Ni-Cad Batteries, CTCFU620 Charger and CDR4850-40 Handle in PB165 Storage Case.

### CDRU6855 1/2" 18V CORDLESS DRILL LI-ION

Includes driver/drill, 3.0Ahr CTB6185 Li-Ion Battery Pack, CTCFU620 Charger and CDR4850-40 Handle in PB165 Storage Case.



- Heat treated alloy gears for long tool life with strength and durability
- 2 speed gearbox
- 0-500 (low), 0-1800 (high) RPM (CDRU6850 / 5), and 0-350 (low), 0-1500 (high) RPM CDRU4450
- Single sleeve keyless chuck
- 22 position clutch to set the desired torque
- Over sized variable speed trigger
- Weighs 7.6kgs incl Ni-Cad Battery, 6.7kgs incl Li-Ion Battery and only 4.9kgs for the compact version
- Patented air flow system keeps the motor cooler for longer tool life
- Ergonomic over moulded cushion grip
- Patented dual rail slide-on battery pack charges in approx 40mins



## GREASE GUN

### CGGU4850 18V CORDLESS GREASE GUN

Includes grease gun, **two** 2.4Ahr CTB4185 Ni-Cad Battery Pack and CTCFU420 Charger in CGG4850-18 Storage Case.



- 7,500 PSI Flexible 30" High Pressure Cold Weather Hose
- Industrial Strength Steel Gearing
- Tool Operates at -5° - Motor doesn't stall in cold conditions
- Pump Housing Pressure Tested to 20,000 PSI
- Dispenses 12 tubes in one battery life
- Dual rail slide on battery charges in approx 45mins
- Weighs 4.1kgs incl battery
- Industrial Strength Steel Gearing
- All Steel Gear Box - More durable than competitive plastic gear tools
- Over Moulded Comfort Cushion Trigger



## SAWS

### CTRSU6850 CORDLESS RECIPROCATING SAW

Includes CTRS6850 Reciprocating Saw, CTCFU420 Battery Charger, CTB4185 Ni-Cad Battery and saw blades (3) in blow moulded storage case.

### CTRSU6855 CORDLESS RECIPROCATING SAW - LI-ION

Includes CTRS6850 Reciprocating Saw, CTCU620 Battery Charger, CTB6187 Li-Ion Battery and saw blades (3) in blow moulded storage case.



- 1" Stroke length, 0-2,300 SPM
- Sealed nose mechanism keeps dirt out
- Quick release one handed tool-less blade change
- Non slip cushioned nose for positive tool control
- Variable speed trigger
- Heavy duty armature with balanced motor for less vibration and greater strength.
- Dual ball bearing shielded motor to deliver power and durability for longer tool life
- Weighs 8.5kgs incl Ni-Cad battery - 7.6kgs incl Li-Ion battery
- Dual rail, slide-on battery pack charges in approx 45mins



## SCREWDRIVER

### CTSU561CL 7.2V CORDLESS SCREWDRIVER

Includes CTS561 Screwdriver, **two** CTB5172 battery packs, CTC572 charger and CTS561BIT double-ended screwdriver bit in storage case.

*Ideal for restricted access applications*

- Auto spindle lock for use in manual applications.
- 1/4" Quick change chuck
- Compact fits in pocket and light 1.5kgs incl battery
- 60 in. lb. Stall Torque
- 375 RPM
- Pistol grip style handle for ease of use and extra comfort
- Rocker style Forward/Reverse toggle switch
- Can drive 35 #10 screws per charge
- 55 minute battery charge





# LIGHTS

## CTL4918 CORDLESS XENON LIGHT

### CONVENIENT

- Cordless mobility
- Powered by Snap-on 14.4 or 18 Volt slide-on battery pack (sold separately)
- Comfortable handle
- Bright, Xenon bulb with clip inside lamp for spare bulb 80 lumens
- Lithium compatible

### VERSATILE POSITIONING

- 120° swivel head, with detent every 10°
- Stable with battery pack as base or positioned "on its back" with the lamp pointed upwards
- Adjustable strap with adjustable/removable stainless steel hook

### DURABLE

- Durable-Housing resists impact, temperature extremes, and most automotive fluids
- Tempered glass lens resists scratching and provides maximum brightness plus bulb protection
- Fused for safety with common automotive blade fuse



## CTL918 VERSAVOLT XENON LIGHT

Bright 11W Xenon bulb  
(Phillips HPX60, 7.2V, 0.85 amp).

## CTLED918 VERSAVOLT LED LIGHT

Bright tri-cluster LED lasts longer than conventional bulbs and draws less current.

- Operates on Snap-on® CTB Series 9.6V, 12V, 14.4V and 18V Battery Packs
- Two position switch flash and ON function
- Clip inside lamp holds spare bulb
- 120° swivel head with detent every 10° for maximum flexibility
- Two position switch can be partially depressed for short bursts of light or used in full ON position
- Adjustable strap with removable stainless steel hook
- Housing resists impact, temperature and most automotive fluids
- Tempered glass lens resists scratches
- Does not include battery pack or charger



## CTLED4918HO VERSAVOLT CORDLESS LED LIGHT

- Bright, focused tri-cluster 1 Watt LED light source
- Tempered glass Lens: resists cracking
- Two position switch: flash and ON function
- Head pivots 120° with detent every 10°
- Light can be positioned on its back, stand on its base or be hung with strap and hook
- Does not include battery or charger



## CTLED566 7.2V LED LIGHT

- Features six superbright LED lights
- Lightweight and compact
- Convenient push button on/off switch
- Eight hour run time on fully charged battery
- Tough nylon glass filled nylon housing
- Uses (CTB5172) 7.2V Battery and CTCFU572 Charger (not included)



## BATTERIES / CHARGERS COMPATABILITY

STOCK #	CDRU6850	CDRU6855	CDRU4450	CTU6850	CTU6855	CTU4410A	CTU4450A	CGGU4850	CTRSU6850	CTRSU6855	CTSU561CL	CTU561	CTL4918	CTL918	CTLED918	CTLED4918HO	CTLED566
● = supplied with ● = compatible with																	
NAME	Driver/Drill, Cordless, 18 Volt, Slide-on Battery, 1/2" capacity	Driver/Drill, Cordless, 18 Volt, Li-Ion Battery, 1/2" capacity	Driver/Drill, Cordless, 14.4 Volt, 1/2" capacity	Impact Wrench, Cordless, 18 Volt, Slide-on battery, 1/2" Drive	Impact Wrench, Cordless, 18 Volt, Li-Ion battery, 1/2" Drive	Impact Wrench, Cordless, 14.4 Volt, Slide-on Battery, 3/8" Drive	Impact Wrench, Cordless, 14.4 Volt, Slide-on Battery, 1/2" Drive	Grease Gun, Cordless, 18VDC	Saw, Reciprocating, Cordless, 18 Volt	Saw, Reciprocating, Cordless, 18 Volt	Screwdriver, Cordless, 7.2V	Impact Wrench, Cordless, 7.2 Volt, Slide-on Battery, 3/8" Drive	Cordless Xenon Light	Versavolt Light	Versavolt LED Light	Cordless Light	7.2V LED Light
CTB6185 - 18V Li-Ion 3.0Ahr Battery	●	●		●	●			●	●	●			●	●	●	●	
CTB4185 - 18V Ni-Cad 2.4Ahr Battery	●	●		●	●			●	●	●			●	●	●	●	
CTB4187 - 18V Ni-Cad 2.5Ahr Battery	●	●		●	●			●	●	●			●	●	●	●	
CTB5172 - 7.2V Ni-Cad Battery											●	●					●
CTB312 - 12V Ni-Cad Battery														●	●		
CTB4147 - 14.4V Ni-Cad Battery			●			●	●								●		
CTCFU620 - 9.6VDC - 18VDC Dual Chemistry Charger	●	●	●	●	●	●	●	●	●	●			●	●	●	●	
CTCFU420 - 9.6VDC - 18VDC Ni-Cad Charger	●	●	●	●	●	●	●	●	●	●			●	●	●	●	
CTCFU572 - 7.2V Ni-Cad Charger											●	●				●	●