

### Snap-on<sup>®</sup> VERUS<sup>®</sup> Diagnostic & Information System

#### **PRODUCT FEATURES**

- Integrated diagnostic & information system
- Expandable platform with upgradeable software
- 4-channel lab/ignition scope
- Color graphing scan tool
- Domestic and Asian Fast-Track<sup>®</sup> Troubleshooter
- Fast-track<sup>®</sup> Reference database
- Digital Graphing Multimeter
- Customer/Vehicle information database function
- Data manager function
- Open Internet browser

#### HARDWARE PLATFORM

- 10.4" Color, 1024x768 resolution backlit touchscreen LCD
- 512 MB RAM
- 80 GB internal HDD
- Internal audio microphone and 1W speaker
- Audio output port, Auxiliary port
- VGA output for remote display or projection interface
- USB and serial ports for accessories (printer, keyboard, mass storage devices, gas analyzer, and more)
- Ethernet port, and 802.11b/g wireless Ethernet

#### SYSTEM & USER INTERFACE

- Windows XP operating system
- Open system allows user-installed software
- Application multitasking capability
- User-specified display options
- Touchscreen navigation
- On-screen virtual keyboard

#### STANDARD ACCESSORIES

- Vehicle communication interface cable, keys, adapters for 1996-newer US Domestic & Asian & OBDII vehicles
- 4-Channel shielded, color-coded scope leads
- 110VAC adapter/charger
- Removable Lithium-ion battery pack
- Carry case

#### SCAN TOOL SPECIFICATIONS

- Snap-on vehicle communication and Fast-Track Troubleshooter software included.
- Reads & clears OBDII and OEM-specific trouble codes
- Displays complete trouble code descriptions
- Displays from one to twelve live data parameters (PIDs) simultaneously in graphing mode;
- Adjustable sweep; Min/Max capture in graphing mode
- Includes functional tests and bidirectional controls
- Save screen captures and scanner movies

### VERUS<sup>®</sup> EEMS323 BID SPECIFICATION

- Software coverage for 1980-newer US Domestic, Asian Import and European OBD-I and OBD-II compliant vehicles
- Optional European vehicle software with enhanced coverage for Audi, BMW, Fiat, Jaguar, Land Rover, MINI, Mercedes, Porsche, SMART, Volvo and VW

### GLOBAL OBD-II VEHICLE COMMUNICATION SOFTWARE

- Communicates with 1995 and newer OBDII compatible vehicles
- Automatically establishes communication with the appropriate vehicle protocol
- Displays active communication protocol information
- Tests system readiness status

#### 10 Modes of OBD-II

- Mode 1: graphs or displays current data
- Mode 2: retrieves freeze frame data
- Mode 3: monitors diagnostic trouble codes
- Mode 4: clears emissions related data
- Mode 5: oxygen sensor monitoring
- Mode 6: non-continuously monitored systems
- Mode 7: diagnostic trouble codes detected during last drive
- Mode 8: bi-directional controls (where available)
- Mode 9: displays important vehicle information
- Mode 10: permanent codes

#### GM VEHICLE COMMUNICATION SOFTWARE '80 - '2014

- Enhanced OBD-I, OBD-II & Generic OBD-II modes
   Engine/Powertrain, Transmission, ABS, Airbag, Body, Instrument Panel, Vehicle Theft Deterrent, Tire Pressure Monitor, Transfer Case, Trailer Break Control Diagnostics Code Scan
- Rollover Sensor for Safety Systems
- 6.6L Crankshaft Position (CKP) Sensor Test
- Passenger Presence
- Diesel Power Balance Test
- Vehicle Theft Deterrent Codes, Data & Indicator Status
- Radio Systems Codes, Data & Test Including VIN Write
- HVAC Actuator & Recalibration
- 6.6L Turbo Tests
- Theft Deterrent, Keyless Entry and Remote Function Actuation
- ABS & Air Bag GM symptom codes
- Brake Pedal Pressure (BPP) Relearn
- Engine Bi-Directional Testing, incl. EVAP Monitor Test and EVAP System Testing, Output Controls, Injector Balance, ICB, IAC, EGR, Crank Pos Relearn
- Particulate Filter Replacement & Fuel Filter Life Reset Function – Diesel engines where applicable
- Transmission Bi-Directional Testing, incl. Solenoid Tests, Trans Shifting and Adaptive Resets
- ABS Diagnostics and Brake Bleeding, incl. Bosch, Delco-Moraine, Teves
- Dash and Rear Integration Modules
- BCM Bi-Directional Testing, incl. Door Locks, Lights, Chimes, Horn, Wipers
- 2004 and newer Key FOB Programming
- HVAC codes, data, functional test
- Air suspension system codes, data, functional test
- TPMS functional test / learn mode
- Steering position sensor calibration (some models)

## FORD VEHICLE COMMUNICATION SOFTWARE 1981 – 2013

- Enhanced OBD-I, OBD-II & Generic OBD-II modes
- Engine, Transmission, ABS, Airbag, Occupant Classification, Body/GEM, Instrument Panel, Anti-Theft, Transfer Case, GEM, 4x4 Module, Tire Pressure Monitor, Driver's Door, Driver's Seat, Sliding Door, Liftgate Trunk, Power Running Boards, Lighting Control, Auto Temp Control/HVAC, Navigation, Parking Aid, Electric Power Steering, Battery Control Diagnostics
- Engine Functional Tests
- EVAP
- Code Scan and Clear All Codes
- CAN UDS Auto-ID
- OEM Sub codes
- Door and Window Modules
- 6.4L Tests and Turbo PIDs
- 6.7L Diesel Particulate Filter (DPF) Tests
- 6.4L DPF Manual Regeneration
- Ford/Lincoln Air Suspension Re-calibration
- Engine Bi-Directional Testing, incl. EEC V engine controls, EVAP System Testing, Cold Soak Test, 7.3 Powerstroke Cylinder Contribution,
- EGR functional test & Injector power balance 6.0 diesel engines
- Vane Turbo Functional Test 6.0 diesel
- Cylinder Contribution test includes non-CAN, CAN and UDS Vehicles, where applicable
- Transmission Bi-Directional Testing, incl. Transmission Bench and Drive Tests, Gear Command, Adaptive Learning, Trans Table Resets
- ABS Diagnostics, Brake Bleeding and Pump Motor Test, incl. Bosch, Teves, and Kelsey-Hayes
- Air suspension codes, data, functional test

## CHRYSLER VEHICLE COMM SOFTWARE 1983 – 2013

- Enhanced OBD-I, OBD-II & Generic OBD-II modes
- Engine, Transmission, ABS, Airbag, Body, Occupant Classification Module, Central Gateway, Instrument Panel, Transfer Case Diagnostics, HVAC, Steering angle sensor, ESP, Door Modules, Park Assist, Central Gateway, Instrument Panel, Transfer Case Diagnostics, Code Scan
   Pinion Factor
- Diesel Exhaust Fluid (DEF) Tests
- Non-CAN HVAC
- Engine Misfire Detection
- Diesel Cylinder Performance Test
- DPF Stationary De-Soot
- NAG Transmission Resets & Initialization
- Engine Bi-Directional Testing, incl. Actuator Tests, Forced EVAP Monitor Test, Set RPM/IAC Test, Purge Vapors Test, EGR System Test, ETC Throttle Follower Test, Misfire Counters, Generator Field, PCM VIN Programming
- Particulate Filter Replacement & Fuel Filter Life Reset Function – Diesel engines where applicable
- Transmission Bi-Directional Testing, incl. EMCC Reset, Quick Learn, Quick learn CAN, Battery Disconnect
- ABS brake bleed coverage, incl. Kelsey-Hayes, Teves, Bendix

- Body ATM Tests, incl. Door Locks, Lights, Chimes, Horn, Wipers, Sunroof and Overhead Module
- HVAC, codes, data, functional test
- TPMS including sensor ID function
- Parktronics (park assist)

#### ASIAN VEHICLE COMM SOFTWARE 1983 – 2013

- Enhanced OBD-I, OBD-II & Generic OBD-II modes
- In-depth Engine (including Hybrid), Transmission, Airbag & ABS, (HVAC, Instrument panel, TPMS, Cruise Control, certain OEM's), Code Scan, Clear All Codes coverage for the most popular Asian Import vehicle makes:

Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Scion, Subaru, Suzuki, Toyota

- Kia/Mitsubishi Clear All Codes
- Honda Adaptive Cruise, Collision and Lane Module, Blind Spot Info
- Hyundai/Kia Electronic Park Brake
- Toyota Push Start Button
- Toyota Electronic Activated Control (EAC) Mounts
- Mazda Auto-ID
- Suzuki 4WD and Power Steering
- Toyota/Lexus/Scion Transmission, Park Brake and Main Body
- Honda Vin Programming
- Honda/Acura Adaptive Cruise Control
- Hyundai/Kia Cylinder Power Balance
- Subaru TPMS
- Nissan/Infiniti HVAC Codes, Data & Test
- Suzuki HVAC Codes, Data & Test
- Mazda EVAP Test
- Hyundai & Kia Power Intelligent Control System
- Honda Civic and Acura Hybrid Brake
- Suzuki TPMS Systems
- Toyota Air Injection Test
- Mazda ABS Function Tests
- Lexus Air Suspension
- Toyota VIN Writing, Immobilizer System, Engine Memory Reset and Door/Mirror Modules
- Honda & Acura Occupant Detection
- Nissan Intelligent Cruise Control
- Hyundai, Kia and Mitsubishi PCM VIN Write
- Honda/Acura TPMS coverage including tire registration

#### DOMESTIC/ASIAN IMPORT DRIVEABILITY FAST-TRACK<sup>®</sup> TROUBLESHOOTER

General Motors, Ford, Chrysler/Jeep, Acura, Daihatsu, Honda, Hyundai, Infiniti, Isuzu, Kia, Lexus, Mazda, Mitsubishi, Nissan, Subaru, Suzuki, Toyota

- Domestic 1980 2013
- Asian Imports 1983 2013
- Capability to leverage the powerful information in the 10 modes of Global OBD-II
- Troubleshooter procedures that verify a repair is completed and fixed properly
- Exclusive information with instrumentation developed by technicians for technicians
- Over 6.8 Million VIN-specific Troubleshooter Tips

- Exclusive VIN-Specific troubleshooting and systems repair information covering code specific, no code, no-start, driveability symptoms and frequent component failures
- Enhanced OBD-II Fast-Track data scan tips reflect manufacturer-specific enhanced DataStream capabilities
- Component locators
- Service procedures and specifications
- Code set specifications
- Fast-Track wiring diagrams, VIN-specific service bulletins and procedures
- Enhanced diesel symptom tips
- Enhanced functional test descriptions
- Firing orders and cylinder locations

#### DOMESTIC/ASIAN IMPORT TRANSMISSION FAST-TRACK<sup>®</sup> TROUBLESHOOTER

- Domestic 1981 through 2013 model year
- Asian import 1983 13
- Electronic Controlled Transmission/transaxle coverage
- Technical service bulletins
- Enhanced Fast-Track data scan tips
- Transmission functional test insight

Hundreds of transmission wiring diagrams

#### DOMESTIC/ASIAN IMPORT ABS, BODY, AIRBAG FAST-TRACK<sup>®</sup> TROUBLESHOOTER

- Solutions for ABS-related codes through 2013 models
- Symptom-based tips for 2013 models and earlier
- 24 vehicle makes supported
- Additional reference material and service bulletins
- Electronic Steering & Alignment functions

#### FAST-TRACK<sup>®</sup> TROUBLESHOOTER REFERENCE DATABASE

- Reference information for 24 vehicle makes accessed onscreen directly via hotlinks from the scan tool
- OEM-sourced information. Including diagnostic reference information from TSBs, service manuals, test procedures, vehicle specifications, schematics, wiring diagrams, and more
- Coverage for drivability, transmissions and brake systems

**NOTE**: Scan tool coverage varies by model. Information current as of 8/26/2014. Subject to change without notice.

#### LAB SCOPE PLUG-IN SPECIFICATIONS

**Four-Trace Scope:** Captures and displays "live" signals up to four waveforms on screen in real time

**Note:** Also see SYSTEM SPECIFICATIONS at end of this document.

- Displays digital readout along with each waveform to determine voltage at the selected point on the waveform
- Color-coded waveform for each channel
- Manual & automatic display configuration for each channel
- Snapshot: Capture data over time saved into a buffer
- Easy Scroll: Streamlines selection of menu and toolbar
- AC Coupling: Provides the ability to enlarge the alternating current (AC) component of a signal for closer examination
- Invert: Flip waveform to adjust for flexible hookups and easier viewing
- Autofind: Automatically pre-configure the vertical scale

- Load Configuration: Select factory preset screens or define a custom setup and retrieve them as needed – diagnostic tasks most frequently performed on specific components can be selected to view the performance of sensors, actuators and circuits on a vehicle
- Peak Detect: User selectable for capturing hi-speed signals

#### DIGITAL & GRAPHING MULTIMETER SPECIFICATIONS

- Auto scaling, high-impedance multimeter measurement system
- Digital and graphing display of results
- Pinpoint measurement of:
  - DC volts, AC Volts RMS, Ohms, Frequency, Pulsewidth, Injection pulse-width, Duty cycle,
  - Interface for optional amp probe and pressure/vacuum transducers
  - o Continuity tester with audible beep

#### **POWER/WEIGHT/DIMENSIONS**

- Line power: 110/17V adapter/charger included
- Battery: Lithium-ion battery pack included
- Weight: 7.7 lbs VERUS platform with battery
- Dimensions: 14.4"W x 9.2"H x 3.4"D

#### **OPTIONAL ACCESSORIES – SCAN TOOL**

- Domestic/Asian OBDI Adapter Kit EAK0288B04B
- European Vehicle Software Activation EESP323E (1986 – later BMW, 1991 – later VW/Audi, 1992 – later Mercedes-Benz, & 1996 – 09 Land Rover)
- 2000 2009 Volvo Vehicle Communication Software

European Vehicle Adapter Kit – EAK0267B01E Specialty KIA Adapter for ABS & Airbag Optional Accessory: P/N EAA0355L92A

#### **Optional IGNITION ADAPTERS**

- EETA309A15 Multiple Ignition Lead Module
- EETM306A03 COP-1 Ford
- EETM306A04 COP-2 Chrysler
- EETM306A05 CIC-2 Honda, Toyota
- EETM306A06 CIC-1 GM
- EETM306A07 COP-3 Audi, VW
- EETM306A08 COP-4 Acura/Honda, Isuzu
- EETM306A09 COP-5 Volvo/BMW
- EETM306A10 COP-6 Mercedes
  EETM306A11 COP-7 Mercedes Dual
- EETM306A11 COP-7 Mercedes D
   EETM306A12 COP-8 BMW
- EETM306A12 COP-8 BMW
   EETM306A13 COP-9 Lexus
- EETM306A14 COP-11 Audi, BMW, Chrysler, Jeep, Lexus, Mercedes, Saab, Toyota, Volvo, VW

#### **OPTIONAL ACCESSORIES – VERUS PLATFORM**

- Pass-Thru-Pro II J2534 reprogramming device EETA113B
- Battery Pack EAA0354L12A
- External Battery Pack Charger EAE0059L07A
- Charging Station w/USB Hub EAK0294B02A
- Screen Protectors (3 pack) EAC0101L69A1
- Fan Filters (5 pack) EAK0253B02A
- Maintenance Kit EAK0294B08A
- Silicone Protective Skin Black EAC0101L70A1
- Silicone Protective Skin Blue EAC0101L70A2
- Silicone Protective Skin Red EAC0101L70A3

- Portable 5-Gas Analyzer EEEA305APC
- Replacement Software Activation and Upgrade Device EAA0354B17A

#### **OPTIONAL ACCESSORIES - LAB SCOPE/METER**

- Low Amp Current Probe EETA308D
- Ignition Scope Lead Set EAK0294B09A
- Transducer "Y" Adapter Cable EAX24B40A
- 6' Transducer Extension Cable EAX0024B30A
- Split Lead Adapter EEMS301A05
- 100 PSI Pressure/Vacuum Transducer w/cable EEPV302AL
- 500 PSI Press Trans w/cable EEPV302AT
- 5000 PSI Press Trans w/cable EEPV302AH
- Transducer Extension Cable EAX0024B30A
- Waveform Emulation Demo Board EESX306A

#### **VERUS® SYSTEM SPECIFICATIONS**

VERUS MULTIMETER				
Function	Range	Comments		
Channels	1 – 2	Common Ground		
Cample Date	6.0 MSPS	Simultaneous		
Sample Rate –	1.5 MSPS	Continuous per channel		
Bandwidth	DC – 3 MHz	3 db point @ 3 MHz		
Input Impedance	10 MΩ @ DC	All channels		
	5.8 kΩ @ 3MHz	— All channels		
V dc (Full Scale)	75 V maximum			
V ac (Full Scale) Peak to Peak Voltage	50 V maximum			

#### VERUS DIGITAL METER OHMS AND DIODE CONTINUITY TESTS

Function	Range	Comments
Channels	3 – 4	Inputs between channels 3 (-) and 4 (+)
Input Impedance	10 MΩ	
Glitch capture	Approximately 50 mS	
Ohms	400 Ω – 40 ΜΩ	Fixed scales or Auto Ranging
Diode Test	2 V Scale	

#### VERUS GRAPHING MULTIMETER

Function	Range	Comments	
Input Channels	1 – 2		
Input Impedance	10 Megohm		
Volts (DC)	400 mV thru 400V*	Auto Ranging	
Frequency	5 Hz thru 50 KHz	Auto Threshold Setting	
Pulse Width	5 ms thru 2 s	Auto Threshold Setting	
Inj Pulse Width	5 ms thru 2 s		
MC Dwell (60)	20 - 40 - 60 degrees	Auto Threshold Setting	
MC Dwell (90)	30 - 60 - 90 degrees	Auto Threshold Setting	
Duty Cycle	20 - 40 - 60 - 80 - 100%	Auto Threshold Setting	
Low Amps (20)	1 - 2 - 5 - 10 – 20A	With EETA308A	
Low Amps (40)	10 – 20 - 40A	With EETA308A	
Vacuum	5 - 10 – 20 in Hg	Sensor specific	
100 psi Pressure	10 - 25 - 50 - 100 PSI	Sensor specific	
500 psi Pressure	50 - 100 - 250 - 500 PSI	Sensor specific	
5000 psi Pressure	500 - 1000 - 2500 - 5000 PSI	Sensor specific	

\* See Safety Warnings

NOTE: Coverage based on vehicle specific systems availability and varies by model. Information current as of 3/12/2014. Subject to change without notice.

VERUS LAB SCOPE		
Function	Range	Comments
Channels	1 – 4	Common Ground
Bandwidth	DC - 3 MHz	3 db point @ 3 MHz
	10 MΩ @ DC	- All channels
Input Impedance —	5.8 kΩ @ 3MHz	All charliners
	400 Volts	
	200 Volts	
	100 Volts	
	50 Volts	
Vdc (Full Scale) and	20 Volts	
Vac (Full Scale)	10 Volts	
Peak to Peak Voltage	5 Volt	
Feak to Feak voltage	2 Volt	
	1 Volt	
	500 millivolt	
	200 millivolt	
	100 millivolt	
RPM Measurement	0 – 10000 RPM	
Secondary Ignition	1 – 50 KV	Channels 1 and 2

### VERUS LAB SCOPE SPECIFICATIONS BY SWEEP RATE

Sweep <sup>1</sup>	Channels	Data points per screen	Buffer storage/Ch	Max # Screens	Total time <sup>2</sup>	Sample rate <sup>3</sup>	Peak Detect⁴
50 µs	Ch 1 only	300	524,288	1747	87.3 ms	6.0 MHz	Ν
100 µs	Ch 1,2 only	300	261,120	870	87.0 ms	3.0 MHz	Ν
200 µs	Ch 1,2,3,4	300	131,040	436	87.2 ms	1.5 MHz	Ν
500 µs	Ch 1,2,3,4	500	131,070	262	131 ms	1.0 MHz	Ν
1 ms	Ch 1,2,3,4	500	131,040	262	262 ms	500 KHz	Y
2 ms	Ch 1,2,3,4	500	131,040	262	524 ms	250 KHZ	Y
5 ms	Ch 1,2,3,4	500	131,040	262	1.3 S	100 KHz	Y
10 ms	Ch 1,2,3,4	500	131,040	262	2.6 S	50 KHz	Y
20 ms	Ch 1,2,3,4	500	131,070	262	5.2 S	25 KHz	Y
50 ms	Ch 1,2,3,4	500	131,070	262	13.1 S	10 KHz	Y
100 ms	Ch 1,2,3,4	500	131,070	262	26.2 S	5 KHz	Y
200 ms	Ch 1,2,3,4	500	131,070	262	52.4 S	2.5 KHz	Y
500 ms	Ch 1,2,3,4	500	131,070	262	2.2 M	1.0 KHz	Y
1 s	Ch 1,2,3,4	500	131,070	262	4.3 M	500 Hz	Y
2 s	Ch 1,2,3,4	500	131,070	262	8.7 M	250 Hz	Y
5 s	Ch 1,2,3,4	500	131,070	262	21.8 M	100 Hz	Y
10 s	Ch 1,2,3,4	500	131,070	262	43.7 M	50 Hz	Y
20 s	Ch 1,2,3,4	500	131,070	262	87.3 M	25 Hz	Y

<sup>&</sup>lt;sup>2</sup> Total time is equal to the sweep times the number of frames.

<sup>&</sup>lt;sup>3</sup> Actual sample rate for sweeps 50-200 µs. Effective sample rate for sweeps 500 µs and longer. The effective sample rate is based on the number of sample points stored to the data buffer memory over the selected time sweep. On all sweeps 500 µs and longer, the ADC samples at 1.5 MHz per channel regardless of sweep. The number of sample points is greater than the number of points needed to complete a screen. Only enough points to complete a screen are selected to be stored to the data buffer. This results in the effective sample rate being lower than the actual sample rate of 1.5MHz.

<sup>&</sup>lt;sup>4</sup> When Peak Detect is On, all samples are evaluated. The points stored to the buffer are intelligently selected to capture fast events that might be missed at slower effective sample rates. Peak Detect will capture fast changes at an effective sample rate of 1.5MHz.