

WMH3130, WMH3230K* - 5" x 8" HORIZONTAL BANDSAWS

A steel heat-treated worm driving a bronze worm gear gives smooth and quiet operations of the gear box assembly. The WILTON oil bath drive train extends the production life of the machine parts. The blade guides adjust fully in three planes. The saw's sliding guide arm permits positioning close to the cut.

STANDARD FEATURES

- Adjustable hydraulic feed system
- Adjustable ball bearing guides
- Heat treated steel worm gear and bronze drive gear
- Automatic shut off at end of cut
- Handle & Wheels for convenient moving to various work stations
- 115V 1PH, 1/2HP

*For 3230K Wet cutting saw included 1 gallon capacity coolant system, 115V/1PH, complete with hose, flexible nozzle, shut-off valve, tank and baffle

WMH3230K



Bandsaw Blade: Please order Green Button Part Number: 825966205084



WMH3410



7" X 12" Horizontal Wet Band Saw

STANDARD FEATURES

- Blade Guides:
Side: Eccentric shaft, ball bearing
Rear: Ball bearings
- Blade drive is steel, heat treated worm, driving a bronze worm gear in oil bath
- Heavy duty cast iron saw head and table
- Oil bath hardened and ground worm gear
- Adjustable ball bearing blade guides
- Blade wheels are made of flanged cast iron
- Adjustable hydraulic feed system
- Automatic shut-off at end of cut
- 115V 1PH, 3/4HP

*Wet cutting saw includes 1 gallon capacity coolant system, 115V/1PH, complete with hose, flexible nozzle, shut-off valve, tank and baffle



WMH8201K



Bandsaw Blade: Please order Green Button Part Number: 825967907090

WMH8201K - 14" Wood/Metal Vertical Bandsaws

These saws are specially designed to effectively cut a variety of materials including wood, plastic, bakelite, composites, ferrous and non-ferrous metals. Capable of contour and straight cutting and resawing. Can cut delicate curves in both thick and thin stock.

STANDARD FEATURES

- Cast iron frame
- Solid, one-piece steel base for extra stability
- Conveniently located on/off switch
- Exclusive gear box design allows wood/metal model saws to be used for a wider variety of metal, wood, non-ferrous metal and plastic cutting applications.
- Voltage 1HP, 115V, 1PH
- **Bandsaw Blade: Please order Green Button Part Number: 82596620784**

Please refer to page N082-N087 for more Green Button Bandsaw Blades.

Bandsaw Blade: Please order Green Button Part Number: 82596620784

Soft Face Unbreakable Handle Hammers

STANDARD FEATURES

- Handles are made from high strength, chemical resistant rubber, vulcanized over a spring steel rod
- Cushioned grip minimizes shock, vibration and reduces fatigue
- Replaceable faces have large diameter threads

- Each hammer comes with one nylon and one copper replaceable face
- Faces are also available in nylon, aluminum, rubber and copper
- Unbreakable handle will withstand thousands of overstrikes

Stock No.	Item Number	Face Diameter
WMH11025	HVSF 125	1-1/4
WMH11050	HVSF 150	1-1/2
WMH11075	HVSF 175	1-3/4

WMH11025



WMH11075

Replacement Soft Faces

Stock No.	Face Diameter (in.)	Face Material	Ship Weight Each (lbs.)	Carton Pack
WMH12025	1-1/4	Aluminum	1	1
WMH14025	1-1/4	Copper	1	1
WMH15025	1-1/4	Hard Nylon	1	1
WMH16025	1-1/4	Soft Nylon	1	1
WMH17025	1-1/4	Rubber	1	1
WMH12050	1-1/2	Aluminum	1	1
WMH14050	1-1/2	Copper	1	1

Stock No.	Face Diameter (in.)	Face Material	Ship Weight Each (lbs.)	Carton Pack
WMH15050	1-1/2	Hard Nylon	1	1
WMH16050	1-1/2	Soft Nylon	1	1
WMH17050	1-1/2	Rubber	1	1
WMH12075	1-3/4	Aluminum	1	1
WMH14075	1-3/4	Copper	1	1
WMH15075	1-3/4	Hard Nylon	1	1
WMH16075	1-3/4	Soft Nylon	1	1
WMH17075	1-3/4	Rubber	1	1

Cross Pein Unbreakable Handle Sledge Hammers

Stock No.	Item Description
WMH11302	2 Lb. Head 16" Handle
WMH11306	3 Lb. Head 16" Handle



WMH11302

Unbreakable Handle Sledge Hammers

STANDARD FEATURES

- Unbreakable handle is made with tempered steel, and surrounded by heavy-duty molded rubber

- Ergonomic handle absorbs shock, ensures comfort and has a slip-resistant grip
- High-visibility head adds instant identification under any job site conditions.

Stock No.	Item Description
WMH19999	2-1/2 Lb. Head, 12" Unbreakable Handle
WMH20000	4 Lb. Head 12" Unbreakable Handle
WMH20006	4 Lb. Head, 16" Unbreakable Handle
WMH20010	6 Lb. Head, 24" Unbreakable Handle
WMH20015	6 Lb. Head, 30" Unbreakable Handle

Stock No.	Item Description
WMH20001	8 Lb. Head, 24" Unbreakable Handle
WMH20002	8 Lb. Head, 30" Unbreakable Handle
WMH20020	10 Lb. Head, 30" Unbreakable Handle
WMH20025	12 Lb. Head, 30" Unbreakable Handle
WMH20003	14 Lb. Head, 30" Unbreakable Handle



Unbreakable Handle Ball Pein Hammer

Stock No.	Item Description
WMH20030	24 Oz. Head, Ball Pein Hammer, 14" Unbreakable Handle
WMH20035	32 Oz. Head, Ball Pein Hammer, 14" Unbreakable Handle
WMH20040	40 Oz. Head, Ball Pein Hammer, 14" Unbreakable Handle




WMH20030

Polyester Web Slings

STANDARD FEATURES

Polyester Web Sling

- Reinforced flat eyes (Type III) resist abrasion (Model 252301)
- Reinforced twisted eyes (Type IV) resist abrasion (Model 252331)



WMH252331



WMH252301

Stock No.	Item Description
JET WEB SLINGS, FLAT EYE	
WMH252300	2" x 6', Vertical Lift Capacity 6,400 lbs.
WMH252301	2" x 8', Vertical Lift Capacity 6,400 lbs.
WMH252302	2" x 10', Vertical Lift Capacity 6,400 lbs.
WMH252310	3" x 6', Vertical Lift Capacity 8,600 lbs.
WMH252311	3" x 8', Vertical Lift Capacity 8,600 lbs.
WMH252312	3" x 10', Vertical Lift Capacity 8,600 lbs.
WMH252320	4" x 8', Vertical Lift Capacity 11,500 lbs.
WMH252321	4" x 10', Vertical Lift Capacity 11,500 lbs.
WMH252322	4" x 12', Vertical Lift Capacity 11,500 lbs.

Stock No.	Item Description
JET WEB SLINGS, TWISTED EYE	
WMH252330	2" x 6', Vertical Lift Capacity 6,400 lbs.
WMH252331	2" x 8', Vertical Lift Capacity 6,400 lbs.
WMH252332	2" x 10', Vertical Lift Capacity 6,400 lbs.
WMH252340	3" x 6', Vertical Lift Capacity 8,600 lbs.
WMH252341	3" x 8', Vertical Lift Capacity 8,600 lbs.
WMH252342	3" x 10', Vertical Lift Capacity 8,600 lbs.
WMH252350	4" x 8', Vertical Lift Capacity 11,500 lbs.
WMH252351	4" x 10', Vertical Lift Capacity 11,500 lbs.
WMH252352	4" x 12', Vertical Lift Capacity 11,500 lbs.

1" x 42" Belt/8" Sander with Miter Gauge

STANDARD FEATURES

- Hinged idler wheel cover
- Power take off, allows for mounting an optional flex shaft, when can be used to do carving, drum sanding, deburring and dozens of other jobs
- Deluxe miter gauge that turns and locks for common angles 45° both left and right
- Abrasive belt unit does the work of a jig saw, coping saw or hand file while removing material and finishing at the same time, allows the operator to get into small openings, plus handle odd shapes and angles

- Allows for sanding, grinding or finishing of outside, curves or odd shaped work pieces on the belt
- Grind, sand or finish large work pieces on the disc unit fast and efficiently; combined with the tilting table, the operator has the advantage of chamfering or beveling, table is slotted to accept miter gauge
- Delivers sharper, faster cutting actions; easy belt changes with a variety of grits, belt keeps the machine cool, so one can complete a wide range of jobs
- When using non-woven synthetic belts the operator can blend, polish, buff or finish metal surfaces in addition to defuzzing wood surfaces
- 1/3HP, 1PH, 115V Motor and Toggle Switch



WMH4002

JET Industrial Bench Grinders

STANDARD FEATURES

- UL listed
- Totally enclosed, pre-lubricated ball bearings
- Heavy-duty guarded toggle switch on 8" and 10"
- Rubber mounts prevent movement


Stock No. Wheel Diameter (dia. x W/in.)

WMH577101 6" Bench Grinder x 3/4" Wide Wheels, 1/2HP, 115V, 1PH

WMH577102 8" Bench Grinder, 1" Wide Wheels, 1HP, 115V, 1PH

WMH577103 10" Bench Grinder, 1" Wide Wheels, 1-1/2HP, 115V, 1PH

WMH577101



Combination Belt and Disc Machine

STANDARD FEATURES

- 6" x 48" Belt
- 10" Disc
- Two cast iron tilting tables for mitering applications
- Full access to the belt when tilted in the horizontal position

- Dust collection shrouds on belt and disc
- Quick-release tension mechanism makes belt changes quick and easy
- Removable safety key switch
- Enclosed base protects motor from sanding dust
- Floor stand included (some assembly required)

WMH4210K



Pedestal Stand for Bench Grinders

STANDARD FEATURES

- Heavy-duty cast iron construction
- Stable, wide stance base
- Fully adjustable platform coolant tank and tool tray

WMH577172



JET 20" Floor Drill Press

STANDARD FEATURES

- Hinged metal belt and pulley cover coupled with quick adjustment motor mount allow rapid changing of spindle speeds
- Rotating, 45° tilting, crank-operated worktable with quick release clamp
- On/off switch located on front of the drill press head
- A 1/2" diameter external positive depth stop with three nut locking feature for quick adjustment

- Adjustable tension spindle return spring
- Spindle is supported by high quality ball bearings
- Built-in work lamp on all models, bulb not included.
- Drill chuck and key included
- 1" Drilling Capacity, 1-1/2 HP, 1PH, 115/230V



WMH354170



WMH140075

JET 6,000 Lb. Capacity Premium Pallet Trucks

STANDARD FEATURES

- Premium quality 6,000 lbs. capacity pallet truck with robotic welds
- Easy-to-use with large ergonomic handle, fingertip controls and 200 degrees turning radius
- Handle returns to upright position when not in use
- Articulating axle maintains wheel contact on uneven floor surfaces
- Hydraulic pump is load tested and inspected 20 times prior to assembly
- One-piece cast pump features hardened and chromed piston and ram with high quality seals

- Pump also features step-less lowering valve, allowing you to control the rate of descent, top-of-stroke and safety overload bypass system
- Single point replacement valve makes servicing or rebuilding easy
- Solid steel lifting rods, no periodic adjustment required
- Rounded fork tips with nylon rollers for trouble-free pallet entry and exit
- Polyurethane over aluminum steer wheels with lifetime lubricated bearings
- Nylon load wheels with lifetime lubricated bearings

Stock No.	Item Description
WMH140070	20" x 36" Forks 6,000 Lb Capacity
WMH140072	20" x 48" Forks 6,000 Lb Capacity
WMH140074	27" x 42" Forks 6,000 Lb Capacity
WMH140075	27" x 48" Forks 6,000 Lb Capacity

JET 5,000 Lb. Capacity J Series Pallet Trucks

STANDARD FEATURES

- High quality 5,000 lbs. capacity pallet truck with durable powder coat finish
- 2-1/2" lowered height for smaller opening pallets
- Easy-to-use with one hand operation, fingertip controls and 180 degrees turning radius
- Handle returns to upright position when not in use
- Articulating axle maintains wheel contact on uneven floor surfaces
- Welded steel pump features hardened and chromed piston and ram with high quality seals
- Pump also features top-of-stroke and safety overload bypass system

- Solid steel lifting rods, no periodic adjustment required
- Tapered fork tips with steel ramps for trouble-free pallet entry and exit
- Polyurethane over steel steer wheels with lifetime lubricated bearings
- Nylon load wheels with lifetime lubricated bearings
- Additional grease fittings provide for lubrication of pivot points

Stock No.	Item Description
JET PALLET TRUCKS	
WMH140016	16" x 36" Forks, 5,000 Lb Capacity
WMH140084	20" x 42" Forks, 5,000 Lb Capacity
WMH140083	20" x 48" Forks, 5,000 Lb Capacity
WMH140081	27" x 42" Forks, 5,000 Lb Capacity
WMH140080	27" x 48" Forks, 5,000 Lb Capacity



WMH140080

JET Aluminum Platform Trucks

STANDARD FEATURES

- Lightweight, corrosion-resistant aluminum platform trucks are built for heavy-duty use
- Box style frame is made of high strength welded aluminum channel
- Corner sockets at both ends allow handles to be used on either side of the truck
- Comes standard with two swivel and two fixed casters for smooth operation
- Nylon load wheels with lifetime lubricated bearings



WMH140029

Stock No.	Model No.	Capacity (lbs.)	Platform Size (in)	Platform Weight (in)	Handle Height	Caster Size (in)	Shipping Weight (lbs)	Carton Pack
WMH140028	APT-2448	2,000	24x48	9	35.8	5x2	56.1	1
WMH140029	APT-3060	2,000	30x60	9	35.8	5x2	72.6	1

JET HD Resin Service Carts

STANDARD FEATURES

- Heavy duty resin construction resists dents, chips, and rust
- Handle has built in storage bins
- Round corners mean no sharp edges to nick walls or furniture
- Large, quiet, non-marking 5" casters



WMH140019

Stock No.	Model No.	Max Capacity (lbs.)	Shelf Size (in)	Upper Shelf Height (in)	Height Between Shelves (in)	Lower Shelf Height (in)	Caster Size (lbs)	Overall Size (LxWxH/IN)	Shipping Weight	Carton Pack
WMH140018	PUC-3117	550	31-1/8x17-1/8	33-1/2	19-1/2	6	5x1	39-3/4x17-1/8x33-1/2	40	1
WMH140019	PUC-3725	550	37-3/8x25-5/8	33-1/2	19-1/2	6	5x1	46x25-5/8x33-1/2	42	1