

SNAP-ON KITTING SNAP-ON KITTING SNAP-ON KITTING

KITTING & TOOL SETS

SNAP-ON® TOOL KITS. ANY NEED, ANY AIRCRAFT, ANY MISSION.

Snap-on tools kits simply fit better – your aircraft, your service program, your personnel, your mission. It's all about saving time, eliminating mistakes, making sure you've got the tools you need right when you need them. And no one has done it better, for more government agencies and contractors, for more years, across more continents than Snap-on. We've been there. We've done it. We understand your world and what it takes to get the job done. Credibility, capability and quality. And a name you can always trust. Snap-on.

Special kits.


We work closely with you to develop the optimum tool grouping for your service program, your mission. You get the kit you need. The kit you want. And that's the key. It's about meeting your individual needs.

Cornerstone kits.

These are pre-engineeered kits made specifically for a particular aircraft or mission. We've got the experience. We've got the know-how. No questions, no concerns. Just grab and go.













Portable Tool Control Systems

Features and Benefits

- Easy to carry, easy to use, easy to stow
- Each CTK can be customized for specific function
- Takes your FOD Prevention Program right to the work area
- · Ideal for flightline maintenance in bad weather
- Meets Air Force operating instructions
- · Reduces injuries to personnel
- Complements safety programs
- Simplifies inventory control
- · Maximizes accountability
- · Lighter than metal boxes

Applications

- Vehicle Maintenance/Repair
- Aircraft Maintenance
- Marine Maintenance
- TDY (Temporary Duty) CTK's
- Flightline
- Battle Damage Kits
- · Weapon Repair
- Composite Tool Kits
- Special Purpose

Standard Sets with Portable Bag Available now for:

- F-15
- F-16
- C-17
- C-130

(F-15 & F-16 bag shown)

All portable FlightLine models

can be customized





Standard Tool Sets

Stock Number	Description	Standard Color	Bag Size (WxHxD)	Pallet Size (HxW)	Loaded with Tools* - Weight
FLC130174SET	Medium 4 Pallet Top Load 4 Pallet "Flightline" Bag w/tools	Black	21" x 14 1/2" x 11 1/2"	12.5" x 17.5"	45 lbs.
FLTL15165SET	Extra XXL, 5 Pallet Top Load Flightline Top Load 5 Palet "Flightline" Bag w/tools	Black	22" x 14 3/4" x 11"	12.5" x 19.5"	50 lbs.
FLCP2SET	CARGO POD CTK design for use in Air Force MXU-648 Flightline Preventer Model. 2 bi-fold Pallets	Black	13 1/2" x 9 1/8" x 7 1/4"	12.6" x 19.7"	22 lbs.

^{*} Tool weight may vary.

Snap-on Reserves the right to change tool content.



Standard Flightline Bags

Model No.	Description	Std. Color	CTK Size (W x H x D)	Pallet Size (W x H)	Tool Capacity	Loaded Wt.
FLF8600	Small, 2- Pallet, Bifold	Black	11 x 12 x 3"	10 x 12"	24 Tools	7 Lbs.
FLF8450A	Medium, 2-Pallet, Portfolio	Black	20-1/2 x 12-1/2 x 5 1-1/2"	19-1/2 x 12 1-1/2"	48 Tools	25 Lbs.
FLF8400	Large, 2-Pallet, Portfolio	Black	23 x 18 x 5-1/2"	22 x 17"	74 Tools	45 Lbs.
FLF9000	Medium, 4 Pallet, Standard	Black	13-1/2 x 9-1/8 x 7-1/4"	13 x 9"	46 Tools	13 Lbs.
FLF8200	XLarge, 4-Pallet, FlightLine	Black	21 x 14-1/2 x 11-1/2"	17-1/2 x 12-1/12"	88 Tools	45 Lbs.
FLF9151	Xlarge, 4-Pallet, Top-Load, FlightLine	Black	21 x 10-1/2 x 15"	17-1/2 x 12-1/12"	88 Tools	45 Lbs.
FLF8000	XXLarge, 4-Pallet, Top-Load, FlightLine	Black	22 x 14-2/4 x 11"	19-1/2 x 12-1/2"	98 Tools	50 Lbs.
FLF9225	XXLarge, 5-Pallet, Top-Load, FlightLine	Black	23 x 12 x15"	19-1/2 x 12-1/2"	122 Tools	63 Lbs.
FLF8800	XXXLarge, 5-Pallet, Top/Side-load, GMTK	Black	24 x 18 x 11"	20 x 16"	145 Tools	67 Lbs.
FLF8500	TDY, 5-Pallet, Top-Load, Flightline	Black	21 x 17-1/2 x 11"	4 @ 19-1/2 x 12-1/2" 1 @ 19-1/2" x 10-1/2"	122 Tools	50 Lbs.

^{*} Tool weight may vary. Snap-on reserves the right to change tool content.

Call your Snap-on Industrial sales representative. See inside back cover for additional contact information.

Take your tool control programs all the way to the work area, flightline, deployment or anywhere!

User-friendly, lightweight & rugged.

- · Tool pallets designed for outdoor
- Improves tool control, FOD & productivity
- · Satisfies the Army GMTK Specification
- · Tool kits contain individual tool compartments
- Tool compartments include tool stock number for positive tool identification

Now available in choice of: Metal tool chest KRA4059, tools & foam or New soft-sided tool bag with tools & foam

GMTK Tool Set includes

•	Sockets 55
•	Wrenches
•	Pliers 6
•	Screwdrivers 5
•	Miscellaneous/Specialty Tools 50

Total = 142 tools

Features of Soft-sided Bag

- Easy to carry & easy to stow
- Zips open at top or end to allow individual tool pallets to be removed
- · No sharp edges
- · Rugged, heavy-duty materials can outperform & outlast
- Made from 100% polyester-coated Cordura Security/Convenience Features:
- Two clear vinyl I.D. pockets on outer surface top and end
- Additional I.D. pockets-to contain tool inventory lists, pallet bills of material, DA form 2404, etc.
- · Zippers align-for easy padlocking





Olive Green or "Flightline Black"

Standard Tool Sets:

Model No.	Description	Standard Color	Box/Bag Size (W x H x D)	Pallet Size (WxH)	Loaded with Tools* – Weight
A. GMTKBOXWT	Snap-on Metal Chest with Tools	Snap-on Red	26" x 14-23/32" x 17-3/16"	(See p. 196 for inner dim. on top chest)	107 lbs.
	General Mechanic's Tool Kit w/ tools	s & Foam in a 9 dra	wer KRA4059 Snap-on Metal (Chest	
B. GMTKTLBAGWT	XXL Standard 5 Pallet GMTK	Flightline Black	24" x 18" x 11"	20" x 16"	67 lbs.
	Standard, 5 Pallet, General Mechani	ic's Tool Kit w/tools	- Flightline Black		

^{*} Tool weight may vary.

Snap-on reserves the right to change tool content.



Custom Tool Kits provide the solution for your business!

Whether large or small, Snap-on Industrial can build tool kits from one to a million. Allow us to design and assemble a set of tools to meet the needs of you or your customer.

We can use the tools of your own design specification, or work with you to develop the optimum group of tools for your assembly, maintenance, or repair needs. We can design and create tools and assemble them into kits for any production, maintenance, or repair industry. Kits can be assembled in either hard or soft cases and can be combined with any of our other capabilities to offer you the best kit of tools money can buy.

•Takes FOD prevention program to the flight line

- Improves both tool control & productivity
- Maximizes accountability
- Compliments safety programs
- Compliments flight-ready status

Case:

- Chemical resistant
- Dustproof
- Watertight
- Fold down handle
- Wheels
- Automatic pressure equalization valve
- Ideal for flight line maintenance



Table of Federal Specs

The following symbols and letters are used in the set listings to denote those tools and sets that meet or exceed required federal specifications.

See individual set components in current

Product Catalog for specs.

a. Federal Spec. GGG-H86C: ANSI Spec B173.2

b. Federal Spec. GG-P-831

c. Military Spec. NSN2630-00-269-3034, F-3747, MX992/U, Type II Style 1

d. Federal Spec. GGG-S291E

e. Federal Spec. GGG-W-636E: ANSI B107.6

f. Federal Spec. GGG-W-001405

g. Federal Spec. GGG-W-641

h. Federal Spec. GGG-W-1437: ANSI Spec. B107.10M82

Federal Spec. GGG-C-313C

j. Federal Spec. GGG-W-641: ANSI Spec. B107.10M82: Aerospace Spec. AS954D

k. Federal Spec. GGG-W-641E & GGG-W-1437: AS 954D

I. Federal Spec. GGG-W-636

m. Federal Spec. GGG-W-657C

n. Federal Spec. GGG-W-686C: ANSI Spec. B107.14Mo. Federal Spec. GGG-W-641: ANSI Spec. B107.10M-82

p. Federal Spec. GGG-W-636E & GGG-W-1437: AS954D

q. Federal Spec. GGG-C-1507A, Type 2

r. Federal Spec. GGG-C-1507A, Type 1, Class 1

s. Federal Spec. GGG-C-001507, Type 1, Class 3

t. Federal Spec. GGG-W-641E & GGG-W-1437: ANSI Spec. B107.10M-82

u. Federal Spec. GGG-W-631A

v. Federal Spec. ANSI B107.9

Aircraft Overhaul Set 2094A0B

Tool Spec	
Pliers	Diagonal Cutters, 3/4" Jaw Length
	Duckbill, 1 5/16" Jaw Length
	Combination, 7 1/2" Long
	Adjustable Joint, 9 1/4"
	Needle Nose w/Cutter, 2 1/4" Jaw
	7" VISE-GRIP ®, 1 3/8" Jaw Capacity
	Curved, Long Serrated Needle Nose, 1/16" Tip
	Long Serrated Needle Nose, 1/16" Tip
Hammers a	Ball Peen, 2 oz., 4 oz., 8 oz., 12 oz.
	Plastic Tip, 16 oz.
	1/ 1/2 lb. Dead Blow
Punches	Automatic Center Punch
& •	Punch & Chisel Set
Chisels b	Long Tapered Punch Set
Screwdrivers	PHILLIPS ®, Standard Offset Screwdriver Set
	#1 PHILLIPS ®, 6" Blade, 9 1/4" Long
	#2 PHILLIPS ®, 8" Blade, 12" Long; 1 1/2" Blade, 3 1/4" Long
	#3 PHILLIPS ®, 6 1/8" Blade, 10 3/8" Long
	Short, .025 x 1/8", 2" Blade, 4 3/4" Long
	Elec. Thin Blade, .018" x 1/8", 3" Blade
	Elec. Thin Blade, .028" x 3/16", 3" Blade
	Elec. Thin Blade, .028" x 3/16", 6" Blade
	Flat Tip, .032" x 3/16", 6 1/8" Long
	Flat Tip, .046" x 5/16", 10 1/4" Long
	Flat Tip, .050" x 3/8", 12 3/4" Long
	Flat Tip, .060" x 15/32", 17 13/16" Long
Measuring	Feeler Gauge (35 blades), .0015" thru .035
Tools	8' Steel Rule Tape
10015	Machinist Dividers, 6"
	12" Combo. SqProtractor Level
	Torpedo Level
	Micrometer, 0" - 1" Range
	Spring Divider, 6"
Inspection c	6" Pocket Rule
Tools	Optical Magnifier Light
	2 1/4" Dia. Mirror, 14"
Madal	Round Mirror, 17" Long
Metal	High Speed 5/16" Drill Bit
Working	High Speed 1/4" Drill Bit
Tools	Wire Gauge Drill Set (60 pcs.), .2280"0400"
	Mixed File Set (6 pcs.)
	Mill File Set (8 pcs.)
	Half Round File Set (4 pcs.)
	Misc. File Set (4 pcs.)
	Swiss Needle File Set (12 pcs.) in Pouch
	Hacksaw, 10 - 12" Blades
	Aviation Snips, Right, 9 1/2" Long; Left, 9 1/2" Long
d	3
•	Tap & Die Set (24 pcs.), #4 thru 1/2"
	Tanarad Dagmar 1/011 to 1/011
	Tapered Reamer, 1/8" to 1/2"
Hex	Hex Wrench Set (15 pcs.), .028" thru 3/8"

Open End		Open End Wrench, 19/32" x 11/16"
Wrenches		Open End Wrench, 25/32" x 13/16"
	е	Open End Wrench Set (12 pcs.), 1/4" thru 1"
12-Point		Short Combination, 1/4"
Combination	е	Combination, 5/16", 11/32"
Wrenches		Combination Wrench Set (14 pcs.), 3/8" thru 1 1/4"
Adjustable		Adjustable Wrench Set (4 pcs.) 3/4", 15/16", 1 1/8", and
Wrenches &		1 15/16" Jaw Capacity, 6", 8", 10", and 12" Long
Misc.	f	12-Point Ratcheting Box Wr., 3/8" - 7/16"
Wrenches	f	12-Point Ratcheting Box Wr., 5/16" - 11/32"
1/4" Drive	g	12-Point Standard Length Socket (10 pcs.), 3/16" thru 9/16"
Tools	g	12-Point Deep Socket Set (10 pcs.), 3/16" thru 9/16"
	g	Std. Hex Driver, 1/16", 5/64", 3/32", 7/64"
	g	Standard Rachet, 20 - Teeth
	g	Long Shank Driver, 5 3/4"
	g	Universal Joint, 1 15/64"
	g	Breaker Bar, 6" Long
	g	Extension Bar, 2" Long, 4" Long, 6" Long
	g	Slide Bar, 6" Long
	y	Speeder, 3" Sweep, 18" Long
3/8" Drive	а	12-Point Standard Length Socket Set, (14 pcs.) 1/4" thru 1"
Tools	g	12-Point Deep Socket Set (14 pcs.) 1/4" thru 1"
10015	g	Hex Head Driver Set (8 pcs.), 1/8" thru 3/8"
	g	12-Point Std. Length Univer. Socket, 5/16", 3/8"
	g	Speeder, 3 1/4" Sweep, 17 5/8 " Long
	g	1 /
	L	Breaker Bar, 9 1/2 Long
	h	Standard Ratchet, 20-Teeth
	g	Universal Joint, 1 15/16" Long
		Extension Bar, 3", 6", 12" Long
		Sliding "T" Handle, 8" Long
		Adaptor, 3/8" Female x 1/2" Male
1/2" Drive		Hex Head Driver Set (7 pcs.), 5/16" thru 3/4"
Tools		
Misc. Tools		Pocket Knife
		Scraper
		Putty Knife
		Magnet
		Mechanical Finger
		Awl, 7" Long, 8 1/2" Long
		Sanding Block, 5", 9"
		C-Clamp, 0" - 2" Range (3), 0" - 3" Range (3), 2" Capacity
		3/8" Var. Speed, Reversible Drill
		Scriber-Magnet
Tool Storage		Tote Tray
3.		Tool Chest, 26" x 14 3/4" x 21 1/8"

Engine Overhaul Shop Set 2084E0B

		2084E0B
Tool	Spec.	Description
Pliers		Diagonal Cutters, 13/32" Jaw
		Duckbill, 1 5/16" Jaw Length
		Combination Pliers, 6" Long
		Grooved Joint, 1 3/8"
		Needle Nose w/Cutter, 2 1/4" Jaw
		High Leverage Diagonal Cutters, 1 9/16" Jaw Combination, 7 1/2" Long
		VISE-GRIP®, 7" Long 1 3/8" Jaw Capacity
		VISE-GRIP®, 10" Long 1 5/8" Jaw Capacity
		Mini-Needle Nose, -Straight, 1/16" Tip
		Mini-Needle Nose, -Curved, 1/4" Tip
Hammers	a	Ball Peen, 4 oz., 8 oz., 12 oz., Fiberglass Handle
		Compothane®, 24 oz.
		Plastic Tip, 16 oz.
		Bronze Tip Hammer, 32 oz.
Punches		Midget Punch & Chisel Set
& Chicala	• h	Punch & Chisel Set
Chisels	b	Center Punches, 1/8", 3/16", 5/16" points Midget Center Punch, 3/32" point
		Automatic Center Punch
		Long Tapered Punch Set (3 pcs.)
Metal		Mixed File Set w/Handles (4 pcs.)
Working		Mill File Set w/Handles (4 pcs.)
Tools		Half Round File Set (4 pcs.)
		Mixed File Set (4 pcs.)
		Swiss Needle File Set (12 pcs.) in Pouch
		High Speed Drill Bit, 5/16"
		Wire Ga. Drill Set, .22800400, 60 pcs.
		Hacksaw, 10 or 12" Blade
		Scriber w/Magnet
		Aviation Snips, Right Cut, Left Cut, Straight Tap & Die Set
Measuring	•	Pocket Rule, 6"
Tools		Feeler Gauge, .0015035, 35 Blades
		Micrometers, 0" - 1", 1" - 2" Range
		Spring Calipers
		6" Dividers
		Dial Calipers
		Dividers
		Small Hole Ga. Set, .125"500"
		Thread Pitch Gauge
		Micrometer, 0" - 1" Range, 2" - 3" Range, 3" - 4" Range Insider Micrometer, 2" - 12 1/2" Range
		Depth Micrometer, 0" - 3" Range
		Protractor
		Digital Calipers
		Steel Tape Rule, 8'
		12" Dual Scale Rule
Screwdrivers		#1 PHILLIPS®, 10" Blade, 13 1/4" Long
		#2 PHILLIPS®, 9 5/8" Blade, 13 1/4" Long
		#2 PHILLIPS®, 16" Blade, 19 15/16" Long
		#2 PHILLIPS®, 6" Blade, 9 15/16" Long
		#3 PHILLIPS®, 6 1/8" Blade, 10 3/8" Long
		Heavy Duty, .075" x 1/2", 18" Blade
		Flat Tip, .032" x 3/16", 2 7/8" Flat Tip, .050" x 3/8", 8" Blade
		Flat Tip, .046" x 5/16", 6" Blade
		Flat Tip, .055" x 7/16", 10" Blade
		Flat Tip, .060" x 15/32". 12" Blade
		Flat Tip, .032" x 11/64", 3" Blade
		Flat Tip, .032" x 11/54", 6" Blade
		Flat Tip, .032" x 1/4", 6" Blade
		Offset Screwdriver Set, PHILLIPS ® & Std.
		#1 PHILLIPS®, 6" Blade, 9 1/4" Long
		#1 PHILLIPS®, 3" Blade, 6 1/4" Long
Inspection		Flashlight, Explosion Proof
Tools		Penlight
		Optical Magnifier Flashlight
		Round Mirror, 360° Swivel Round Pocket Mirror, 4 1/2" - 17" Long
Hex		Hex Wrench Set (15 pcs.), .028" thru 3/8"
Wrenches		in BHK15 Metal Index

Tool	Spec.	Description
Adjustable		1/2" Jaw Capacity, 4" Long
Wrenches		Adjustable Wrench Set (4 pcs.) 3/4", 15/16", 1 1/8", and
		1 15/16" Jaw Capacity, 6", 8", 10", and 12" Long
12-Point	_	1 11/16" Jaw Capacity, 15" Long Combination Wrenches, 5/16", 11/32", and 1 3/8"
Combination	e	Combination Wrench Set (14 pcs.), 3/8" thru 1 1/4"
Wrenches	е	Short Combination Wrenches, 1/4", and 9/32"
Open End	е	Standard Length Open End Wrench Set, 1/4" x 1 5/16"
Wrenches	e	Open End Wrench, 1 1/16" x 1 1/4"
Box	-	12-Point Offset Box Wrench Set, 3/16" thru 13/16"
Wrenches	f	12-Point Ratcheting Box, 1/4" x 5/16"
***************************************	f	12-Point Ratcheting Box, 5/16" x 11/32"
	f	12-Point Ratcheting Box, 5/16" x 3/8"
	f	12-Point Ratcheting Box, 3/8" x 7/16"
	f	12-Point Ratcheting Box, 1/2" x 9/16"
1/4" Drive	g	12-Point Standard Length Socket (10 pcs.), 3/16" thru 9/16"
Tools	g	12-Point Deep Socket Set (10 pcs.), 3/16" thru 9/16"
	g	Std. Hex Drivers, 1/16", 5/64", 3/32", and 7/64"
	g	Rachet, 20 - Teeth
	g	Universal Joint, 1 15/64" Long
	g	Long Shank Drive, 5 3/4" Long
	g	Breaker Bar, 6" Long
	g	Extension Bars, 2", 4", and 6" Long
	g	12-Point Universal Sockets, 5/16" and 1/4"
	•	12-Point Crowfoot Wrenches, 1/4", 5/16", and 3/8"
		Adaptors, 3/8" Female x 1/4" Male & 1/4" Female x 3/8" Male
		Speeder, 3" Sweep, 17 29/32" Long
3/8" Drive	g	12-Point Standard Length Socket, (14 pcs.) 1/4" thru 1"
Tools	g	12-Point Deep Socket Set 1/4" thru 15/16"
	g	12-Point Universal Sockets, 3/16" and 3/8"
	g	12-Point Universals, 7/16", 1/2", and 9/16"
	g	Hex Head Driver Set (8 pcs.), 1/8" thru 3/8"
		Adaptor, 3/8" Female x 1/2" Male
	g	Speeder, 3 1/4" Sweep, 17 5/8 " Long
		Breaker Bar, 9 1/2 Long
	j	Ratchet, 20-Teeth
		Extension Bars, 3" Long, 6" Long, and 12" Long
		Flextension, 6" Long
	g	Universal Joint, 1 15/16" Long
1/2" Drive		12-Point Standard Length Socket Set (13 pcs.),
Tools		3/8" thru 1 1/8"
		12-Point Deep Socket Set (19 pcs.), 3/8" thru 1 1/2"
		Hex Head Driver Set (7 pcs.), 5/16" thru 3/4"
	j	Ratchet, 32-Teeth, 10 1/4" Long
		Breaker Bar, 18" Long
		Extension Bars, 5" Long and 10" Long
Minn Tools		Universal, 2 11/16" Long
Misc. Tools		Pinch Bar, 15" Long
		40 Watt Soldering Kit
		C-Clamps, 0" - 2", 0" - 3", and 0" - 4"
		Pick-up Tool, Magnet Pocket Knife
		Awl, 7" Long
		Pick Set
		Tweezer Kit
		Mechanical Fingers
Tool Ctorogo		Scraper Tota Trav
Tool Storage		Tote Tray Tool Chest, 31 3/32" x 20 5/16" x 21 1/8"

Master Mechanical Maintenance Set

	2140CMMB
Tool Spec.	Description
Pliers	Combination, 5", 7 1/2" and 9 1/18" Long
	Needle Nose, 27/32" Jaw Length, and 1 11/16" Jaw Length
	Needle Nose w/Side Cutter, 2 1/4" Jaw
	Duckbill, 1 5/16" Jaw Length
	Diagonal Cutters, 3/4" and 15/16" Jaw Length
	Grooved Joint, 1 3/8", and 2 1/8" max. capacity
	Internal Retaining Ring, .070" tip
	External Retaining Ring, .070" tip
	Wire Twister, 10 1/2" Long
	Wire Crimper, 10 1/2" Long
	VISE-GRIP®, 1 3/8" and 1 5/8" Jaw Capacity
Hammers a	Ball Peen, 8 oz., 1 lb., and 2 lb.
	Plastic Tip, 16 oz.
Punches & •	Punch & Chisel Set with chisel gauge
Chisels b	Midget Punch & Chisel Set
Metal	Mill File Set (4 pcs.), in C46C Kit Bag
Working	Round File Set (4 pcs.) in C46C Kit Bag
Tools	File Handle, 4 1/2" Long
	Tinner Snips, 1 1/2" Blades, 7" Long
	Straight Cut Shears, 10" Long
	Right Cut Shears, 10" Long
	Left Cut Shears, 10" Long
	Drill Bit Set (13 pcs.), 1/16" - 1/4"
	Hacksaw Frame, uses 10" or 12" Blades
	12" Hacksaw Blades, 32 Teeth (10 each)
Measuring	Tape Measure, 10' Long
Tools	Steel Rule, 6" Long
	Aviation Wire Gap Gauge (8 wires and
	electrode bender) .010"030"
	Feeler Gauge (25 Blades), .002023
Tool Spec.	Description
Screwdrivers	Elec. Flat Tip Screwdriver Set (5 pcs.)
	Elec. Flat Tip Screwdriver
	PHILLIPS® Screwdriver Set (5 pcs) in Plastic Tray
	Flat Tip Screwdriver Set (5 pcs) in Plastic Tray
	Nut Driver Set, 1/4" - 1/2"
	Offset Flat Tip, .025" x 1/4" Blade
	Offset Flat Tip, .030" x 5/16" Blade
	Offset Flat Tip, .046" x 3/8" Blade
	Offset PHILLIPS®, #1 and #2 Tips, and #3 and #4 Tips
	Flat Tip Screw Starter, 5" Long
	PHILLIPS ® Screw Starter, 5 1/2" Long
Inspection	Heavy Duty Flashlight
Tools	Hinged Rectangular Mirror, 16 1/2" Long
10010	Replacement Mirror for GA53
	Inspection Light, 9 1/4" Long, 13 1/2" Extension
Torquo ~	
Torque n	Torque Wrench, 3/8" Drive, 0 - 600 lb.in., 0 - 700 kg•m
Measuring n	Torque Wrench, 1/2" Drive, 0 - 175 lb.ft., 0 - 25 kg•m
Tools	
Hex Wrenches	Hex Wrench Set (15 pcs.), .028" thru 3/8"
Open End	Standard Length Open End Wrench Set (12 pcs.), 1/4" thru 1"
Wrenches	Low-Torque Slimline Open End, 7/16" x 1/2"
	Low-Torque Slimline Open End, 1/2" x 9/16"
	Low-Torque Slimline Open End, 5/8" x 11/16"
	Low-Torque Slimline Open End, 5/8" x 11/16" Low-Torque Slimline Open End, 3/4" x 7/8
Combination e	Low-Torque Slimline Open End, 3/4" x 7/8
Combination e Wrenches	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination
Wrenches	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1"
Wrenches 12-Point e	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16"
Wrenches 12-Point e Box	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16"
Wrenches 12-Point e	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16"
Wrenches 12-Point e Box Wrenches	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16"
Wrenches 12-Point e Box Wrenches 6-Point g	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.),
Wrenches 12-Point e Box Wrenches	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray
Wrenches 12-Point e Box Wrenches 6-Point g	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.),
Wrenches 12-Point e Box Wrenches 6-Point g Flare Nut	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray
Wrenches 12-Point e Box Wrenches 6-Point g Flare Nut Wrenches g	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray Double End Flare Nuts, 3/8" & 7/16", and 7/16" & 1/2"
Wrenches 12-Point e Box Wrenches 6-Point g Flare Nut Wrenches g Adjustable	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray Double End Flare Nuts, 3/8" & 7/16", and 7/16" & 1/2" Adjustable, 1/2" Jaw Capacity, 4" Long Adjustable Wrench Set (4 pcs.) in a plastic tray
Wrenches 12-Point e Box Wrenches 6-Point g Flare Nut Wrenches g Adjustable	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray Double End Flare Nuts, 3/8" & 7/16", and 7/16" & 1/2" Adjustable, 1/2" Jaw Capacity, 4" Long Adjustable Wrench Set (4 pcs.) in a plastic tray 3/4", 15/16", 1 1/8", and 1 15/16" Jaw Capacity,
Wrenches 12-Point e Box Wrenches 6-Point g Flare Nut Wrenches g Adjustable	Low-Torque Slimline Open End, 3/4" x 7/8 12-Point Standard Length Combination Set (11 pcs.), 3/8" thru 1" Standard Length Box Wrench Set, (11 pcs.), 3/8" thru 1 5/16" Dwarf Box Wrench Set (9 pcs.), 3/16" thru 3/16" Ratcheting Box Wrench Set (6 pcs.), 1/4" thru 15/16" Half Moon Box Wrench Set (5 pcs.), 7/16" thru 15/16" Double End Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16" in a plastic tray Double End Flare Nuts, 3/8" & 7/16", and 7/16" & 1/2" Adjustable, 1/2" Jaw Capacity, 4" Long Adjustable Wrench Set (4 pcs.) in a plastic tray

	Spec.	Description
1/4" Drive	g	6-Point Standard Length Socket, 1/8", and 5/32"
Tools	g	12-Point Standard Length Socket Set, (10 pcs.), 3/16" thru 9/16"
	g	12-Point Deep Socket Set, (10 pcs.), 3/16" thru 9/16"
	g	12-Point Universal Sockets, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
	g	Double Square Sockets, 1/4", 5/16", 3/8"
	g	Hex Head Drivers, 11 pcs. from 5/64" to 1/4"
		(5/64", 3/32",7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
		Clutch Head Drivers, 11/64", 15/64", 5/32"
		Carburetor Screwdrivers, 1/32" x 23/64", and 1/32" x 7/16"
	~	Flat Tip Short Driver, 1/4" x .032" tip
	g	Flat Tip Driver, 3/16" x .033" tip Flat Tip Driver, 1/4" x .033" tip
		Flat Tip Driver, 3/8" x .042" tip
		#1 PHILLIPS © Driver
		#2 PHILLIPS © Driver
		#2 PHILLIPS © Driver
	g	Standard Rachet, 4 27/64" Long
	g	Breaker Bar, 6" Long
	g	Long Shank Driver, 5 3/4" Long
	y	Speeder, 3" Sweep, 17 29/32" Long
		Sliding T-Handle, 4 1/4" Handle
	g	Flextension, 6" Long
	g	Flexible Driver, 6 3/4" Long
	g	Flexible Adaptor, 9 3/4" Long
	g	Ratchet Adaptor, 1 3/8" Long
	g	Ratchet Spinner, 27/32" Long
	9	Universal Joint, 1 15/64" Long
	g	Extension Bars, 2", 4",6" and 14" Long
	9	Adaptor, 3/8" - 1/4"
3/8" Drive	g	12-Point Standard Length Socket Set, (12 pcs.),
Tools	3	1/4" thru 7/8", on A269 Socket Rail and Clips
	g	12-Point Deep Socket Set, (11 pcs.),
	3	1/4" thru 7/8", on A269 Socket Rail and Clips
	g	12-Point Universal Socket Set (11 pcs.),
	9	3/16" thru 15/16"
		Crowfoot Open End Wrench Set (11 pcs.), 3/8" thru 1"
		We atherhead Sockets, 3/8", 7/16", 1/2", 9/16", 11/16", 3/4"
	j	Standard Ratchet, 7 9/16" Long
	,	Breaker Bar, 9 1/2 Long
		Plastic Handle Driver, 5 1/4" Long
	g	Speeder, 3 1/4" Sweep, 17 5/8" Long
	3	Flextension, 8" Long
		Sliding T-Handle, 8" Handle Length
	g	Ratchet Adaptor, 2 1/16" Long
	3	Ratchet Spinner, 1 9/32" Long
	g	Universal Joint, 1 15/16" Long
	•	Extension Bars, 3", 4 9/16", 6" and 12" Long
		Adaptors, 1/2" - 3/8", 3/8" - 1/2", 1/4" - 3/8"
1/2" Drive	•	12-Point Socket and Accessory Set (25 pcs.),
Tools		3/8" thru 1 5/16"
	g	12-Point Deep Sockets, 3/16", 7/8", 15/16", 1"
	0	Standard Ratchet, 10 1/4" Long
	g	Extension Bar, 2" Long
Misc. Tools		Extractor Set (20 pcs.), 1/4" thru 1/2"
		Wire Brush, 14" Long
		Strap Wrench with 3/8" & 1/2" Drive
		Cotter Pin Puller, 8" Long
		Pocket Knife
		Flexible Pick-up Tool, 17 3/4" Long
		Magnet Pick-up Tool, 26 3/4" Extension
		Putty Knife, 3 3/4" Long
		Pry Bar, 16" Long
		Awl, 8 1/2" Long
		Scriber
Storage		Roll Cab, 7 drawer, 26 5/8" x 19 3/4" x 37"

Basic Mechanic's Set (Portable) 2038BAMTB

Tool	Spec.	Description
Pliers		Combination, 9 1/8" Long
		Needle Nose, 1 11/16" Jaw Length
Hammers	а	Ball Peen, 12 oz.
		Plastic Tip, 16 oz.
Punches	b	Pin Punch, 3/16" point
&		Punch & Chisel Set with chisel gauge
Chisels		
Measuring	9	Steel Rule, 6" Long
Tools		Tape Measure, 12' Long
		Aviation Wire Gap Gauge 8 wires with
		electrode bender, .010"030"
Screwdriv	ers	Flat Tip, 1/4" x 1 1/2" Blade, 3 1/4"
		Flat Tip, 1/4" x 4" Blade, 7 15/16"
		Offset Flat Tip, .030" x 5/16" Blade
		Offset PHILLIPS®, #1 and #2 Tips
		Flat Tip Screw Starter, 5" Long
Inspection	1	Heavy Duty Flashlight
Tools		Hinged Rectangular Mirror, 16 1/2" Long
Hex		Hex Wrench Set (13 pcs.), 3/64" thru 3/8"
Wrenches		
Open End	е	Open End, 1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16"
Wrenches		
Box	р	12-Point High Performance Box, 3/8" x 7/16", 1/2" x 9/16"
Wrenches		
1/4" Drive	e g	12-Point Standard Length Socket Set,
Tools		(10 pcs.), 3/16" thru 9/16"
		Flex Head Ratchet, 5 63/64" Long
	g	Flexible Extension, 6" Long
		Universal Joint, 1 15/64" Long
	g	Extension Bars, 2" Long, 4" Long, 14" Long
		Medal Box for 1/4" Drive Tools
3/8" Drive	e g	12-Point Deep Sockets, 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Tools	g	12-Point Universal Socket, 3/8", 7/16"
Misc. Too	ls	Awl, 8 1/2" Long
		Cotter Pin Puller, 8" Long
Storage U	nit	Hand Carry Metal Box, 19 7/8" x 7 3/4" x 7 1/2"

All Purpose Mechanic's Set 2051CAMB

Tool	Spec.	Description
Pliers	•	Combination, 7 1/2" Long
		Needle Nose w/Side Cutter, 2 1/4" Jaw
		Duckbill, 1 5/16" Jaw Length
		Diagonal Cutters, 15/16" Jaw Length
		Grooved Joint, 2 1/8" Max. Capacity
		Wire Stripper, 6 1/4" Long
		Internal Retaining Ring, .070" Tip
		External Retaining Ring, .070" Tip
		VISE-GRIP®, 1 5/8" Jaw Capacity
Hammers	a	Ball Peen, 4 oz., 12 oz.
		Plastic Tip, 16 oz.
Punches	b	Center Punches, 1/8" Point, 3/16" Point
& Chisels	b	Punch & Chisel Set with Chisel Gauge
Metal		Straight Cut Shears, 10" Long
Working		Drill Bit Set (13 pcs.), 1/16" thru 1/4"
Tools		Hacksaw, uses 10" or 12" Blades
		Hacksaw Blades, 12" x 32 Teeth (10 each)
		Mill File Set (4 pcs.) in C46C Kit Bag
		Round File Set (4 pcs.) in C46C Kit Bag
		File Handle, 4 1/2" Long
Measuring		Feeler Gauge (25 blades), .002" thru .023"
Tools		Tape Measure, 12' Long
Screwdrivers	S	Elec. Thin Blade Screwdriver Set (5 pcs.)
		PHILLIPS® Screwdriver Set (5 pcs.)
		Flat Tip Screwdriver Set (5 pcs.)
		Ratchet and Screwdriver Bit Set (5 pcs.)
Inspection	С	Heavy Duty Flashlight
Tools		Hinged Rectangular Mirror, 16 1/2" Long
		Replacement Mirror for GA53

Tool S	pec.	Description
Torque	n	Torque Wrench, 3/8" Square Drive, 0 - 600 lb.in.
Measuring Tools	n	Torque Wrench, 1/2" Square Drive, 0 - 175 lb.ft.
Hex Wrenches		Hex Wrench Set (20 pcs.), .028" thru 3/4"
Tappet		Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16"
Open End Wrenches		5/16" x 11/16", and 3/4" x 7/8"
Combination	е	12-Point Combination Wrench Set
Wrenches		(11 pcs.), 3/8" thru 1"
Box	е	12-Point Offset Box Wrench Set
Wrenches		(8 pcs.) 3/8" thru 1 5/16" 12-Point Offset Dwarf Box Wrench Set
		(9 pcs.) 3/16" thru 13/16"
Flare Nut	I	6-Point Double End Flare Nut Wrench Set
Wrenches		(5 pcs.), 1/4" thru 13/16" in a plastic tray
4 /4 II Duissa	<u> </u>	6-Point Double End Flare Nut, 5/16" x 3/8", and 7/16" x 1/2"
1/4" Drive Tools	g	6-Point Sockets, 1/8" and 5/32" 12-Point Standard Length Socket Set,
10013	g	(10 pcs.), 3/16" thru 9/16"
	g	12-Point Deep Socket Set, (10 pcs.), 3/16" thru 9/16"
	g	12-Point Universal Sockets, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
	g	Double Square Sockets, 1/4", 5/16", 3/8"
	g	Hex Head Drivers, (9 pcs.) from 5/64" to 1/4"
	g	(5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" Clutch Head Drivers, 11/64", 15/64", 5/32"
		Carburetor Screwdrivers, 1/32" x 23/64", and 1/32" x 7/16"
		Flat Tip Short Driver, 1/4" x .032" tip
	g	Flat Tip Driver, 3/16" x .033" tip
		Flat Tip Driver, 1/4" x .033" tip
		Standard Driver, 3/8" x .042" tip #1 PHILLIPS© Driver
		#2 PHILLIPS® Driver
		#2 PHILLIPS© Driver
	g	Standard Length Rachet, 20 Teeth, 4 27/64" Long
	g	Breaker Bar, 6" Long
	g	Long Shank Driver, 5 3/4" Long Speeder, 3" Sweep, 17 29/32" Long
		Sliding T-Handle, 4 1/2" Handle
	g	Flexible Extension, 6" Long
	g	Flexible Driver, 6 3/4" Long
	g	Flexible Adaptor, 19 3/4" Long
	g	Ratchet Adaptor, 1 3/8" Long Ratchet Spinner, 27/32" Long
	g	Universal Joint, 1 15/64" Long
	g	Extension Bar, 2" Long
		Extension Bars, 4" Long, 6" Long, 14" Long
3/8" Drive	g	12-Point Standard Length Socket Set, (12 pcs.),
Tools		1/4" thru 7/8" on A269 Socket Rail w/clips 12-Point Deep Socket Set (11 pcs.)
	g	1/4" thru 7/8" on A269 Socket Rail w/clips
	g	12-Point Universal Socket Set (11 pcs.)
	_	5/16" thru 15/16" on A267 Socket Rail w/clips
		Weatherhead Sockets, 3/8" 7/16", 1/2", 9/16", 11/16", 3/4"
	h	Standard Length Ratchet, 20-Teeth, 7 9/16" Long Breaker Bar. 9 1/2" Long
		Plastic Handle Driver, 5 1/4" Long
	g	Speeder, 3 1/4" Sweep, 17 5/8 " Long
	9	Sliding "T" Handle, 8" Handle Length
		Ratchet Adaptor, 2 1/16" Long
		Ratchet Spinner, 1 9/32" Long
	g	Universal Joint, 1 15/16" Long
		Extension Bars, 3", 4 9/16", 6"and 12" Long Flexible Extension, 8" Long
		Metal Box for 3/8" Drive Tools
1/2" Drive		12-Point Socket and Accessory Set,
Tools		(25 pcs.), 3/8" thru 1 5/16"
Misc. Tools		Wire Brush, 14" Long
		Cotter Pin Puller, 8" Long Flexible Pick-up Tool, 17 3/4" Long
		Magnet Pick-up Tool, 26 3/4" Extension
		Pry Bar, 16" Long
Storage		Tool Chest, 9 Drawer, 26" x 14 3/4" x 17 3/8"
Unit		

Flight Line Mechanic's Set 2113AAMB

Tool Spec. Description Combination, 5" Long, 7 1/2" Long, 9 1/8" Long Grooved Joint, 1 3/8" max. capacity, 2 1/8" max. capacity End Flush Cutter, 6 1/8" Long Internal Retaining Ring, 0.70" tip External Retaining Ring, 0.70" tip External Retaining Ring, 0.70" tip Diagonal Cutters, 9 1/6" Jaw, 3/4" Long Needle Nose, 27/32" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Capacity, 1 5/8" Jaw Capacity NSE-GRIPP, 1 3/8" Jaw Capacity, 1 5/8" Jaw Capacity Section 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Ja			2113AAMB
Grooved Joint, 1 3/8" max. capacity, 2 1/8" max. capacity End Flush Cutter, 6 1/8" Long Wire Stripper, 6 17/14" Long Internal Retaining Ring, .070" tip External Retaining Ring, .070" tip Diagonal Cutters, 91/6" Jaw, 3/4" Jaw, 15/16" Jaw Midget Diagonal Cutters, 4 1/4" Long Needle Nose Wcisice Cutter, 2 1/4" Jaw Needle Nose, 27/32" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length Jaw L	Tool S	pec.	Description
End Flush Cutter, 6 1/14" Long Wire Stripper, 6 1/14" Long Internal Retaining Ring, .070" tip External Retaining Ring, .070" tip External Retaining Ring, .070" tip Diagonal Cutters, 9/16" Jaw, 3/4" Jaw, 15/16" Jaw Midget Diagonal Cutters, 4 1/4" Long Needle Nose w/Side Cutter, 2 1/4" Jaw Needle Nose w/Side Cutter, 2 1/4" Jaw Needle Nose, 2/732" Jaw Length, 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 1/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 1/16" Jaw Length Duckbill, 1 5/16" Jaw Length Section 1 1/2" Jaw Length Duckbill, 1 5/16" Jaw Length Section 1 1/2" Jaw			
End Flush Cutter, 6 1/14" Long Wire Stripper, 6 1/14" Long Internal Retaining Ring, .070" tip External Retaining Ring, .070" tip Diagonal Cutters, 9/16" Jaw, 3/4" Jaw, 15/16" Jaw Midget Diagonal Cutters, 4 1/4" Long Needle Nose w/Side Cutter, 2 1/4" Jaw Needle Nose, 2/732" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Usternal Retaining Ring, .070" tip Needle Nose, 2/732" Jaw Length, 1 11/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 1 11/16" Jaw Length Usternal Retaining Ring, .070" tip Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Jaw Length, 1 15/8" Jaw Capacity Needle Nose, 2/732" Long Needle Nose, 2/732" Jaw Length, 1 15/16" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Jaw Capacity Needle Nose, 2/732" Jaw Length, 2 15/16" Ja			Grooved Joint, 1 3/8" max. capacity, 2 1/8" max. capacity
Internal Retaining Ring, .070" tip			
External Retaining Ring, 0.70" tip Diagonal Cutters, 9.716" Jaw, 3.4" Jaw, 15/16" Jaw Midget Diagonal Cutters, 4.1/4" Long Needle Nose wSide Cutter, 2.1/4" Jaw Needle Nose wSide Cutter, 2.1/4" Jaw Needle Nose, 2.7/32" Jaw Length, 1.11/16" Jaw Length Duckbill, 1.5/16" Jaw Length VISE-GRIP®, 1.3/8" Jaw Capacity, 1.5/8" Jaw Capacity Sall Peen, 4.0-2, 8.02., 3.02. Plastic Tip, 16.02. Plastic Tip,			Wire Stripper, 6 1/14" Long
Diagonal Cutters, 9/16" Jaw, 3/4" Jaw, 15/16" Jaw Midget Diagonal Cutters, 4 1/4" Long Needle Nose w/Side Cutter, 2 1/4" Jaw Needle Nose, 27/32" Jaw Length VISE-GRIP®, 1 3/8", Jaw Capacity, 1 5/8" Jaw Capacity VISE-GRIP®, 1 3/8", Jaw Capacity, 1 5/8" Jaw Capacity VISE-GRIP®, 1 3/8", Jaw Capacity, 1 5/8" Jaw Capacity Ja			Internal Retaining Ring, .070" tip
Midget Diagonal Cutters, 4 1/4" Long			External Retaining Ring, .070" tip
Midget Diagonal Cutters, 4 1/4" Long			Diagonal Cutters, 9/16" Jaw, 3/4" Jaw, 15/16" Jaw
Needle Nose w/Side Cutter, 2 1/4" Jaw Needle Nose, 27/32" Jaw Length, 111/16" Jaw Length Duckbill, 1 5/16" Jaw Length, 111/16" Jaw Length VISE-GRIP®, 1 3/8" Jaw Capacity, 1 5/8" Jaw Capacity VISE-GRIP®, 1 3/8" Jaw Capacity, 1 5/8" Jaw Capacity Plastic Tip, 16 oz.			
Needle Nose, 27/32" Jaw Length Duckbill, 15/6" Jaw Length Duckbill, 15/6" Jaw Length VISE-GRIP®, 13/8" Jaw Capacity, 15/8" Jaw Capacity			
Duckbill, 1 5/16" Jaw Length WiSE-GRIP®, 1 3/8" Jaw Capacity, 1 5/8" Jaw Capacity Ball Peen, 4 oz., 8 oz., 32 oz. Plastic Tip, 16 oz.			
WISE_GRIP®, 1 3/8" Jaw Capacity, 1 5/8" Jaw Capacity			
Ball Peen, 4 oz., 8 oz., 32 oz. Plastic Tip, 16 oz.			
Plastic Tip, 16 oz.	Hammers	a	
Punches & Midget Punch & Chisel Set with chisel gauge & Midget Punch & Chisel Set Chisels Metal Morking Round File Set (4 pcs.) File Handle, 4 1/2" Long Tinner Snips, 1 1/2" Blades, 7" Long Tinner Snips, 2 1/4" Blades, 10" Long Straight Cut Shears, 10" Long Left Cut Shears, 10" Long Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" W/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Elec. Thin Blade Screwdriver Set, (5 pcs.) Hat Tip Screwdriver Set, (5 pcs.) Hat Tip Screwdriver Set, (5 pcs.) Heavy Duty Flat Tip, Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Todue Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrench Set, .028" thru 3/4" Wrenches Den End Wrench Set, .028" thru 3/4" Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/16" thru 9/16"			
Midget Punch & Chisel Set Midget Punch & Chisel Set Mill File Set (4 pcs.) Morking Round File Set (4 pcs.) File Handle, 4 1/2" Long Tinner Snips, 1 1/2" Blades, 7" Long Tinner Snips, 2 1/4" Blades, 10" Long Straight Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Micrometer, 3" - 4" Range Tools Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs.) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .026" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8"	Punches	•	
Metal Mill File Set (4 pcs.) Working Round File Set (4 pcs.) File Handle, 4 1/2" Long Tinner Snips, 1 1/2" Blades, 7" Long Tinner Snips, 2 1/4" Blades, 10" Long Straight Cut Shears, 10" Long Right Cut Shears, 10" Long Right Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Micrometer, 3" - 4" Range Tape Measure, 10" Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", 1(6 fingers), .008"035" Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .04			
Metal Mill File Set (4 pcs.) Working Round File Set (4 pcs.) Tools File Handle, 4 1/2" Long Tinner Snips, 1 1/2" Blades, 7" Long Tinner Snips, 2 1/4" Blades, 10" Long Bright Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"035" Screwdrivers Elec. Thin Blade Screwdriver Set, (5 pcs.) Flat Tip Screwdriver Set, (5 pcs.) Flat Tip Screwdriver Set, (5 pcs.) HellLIPS® Screwdriver Set, (5 pcs.) Helx Tip, .025" x 1/4" Blade Offset Flat Tip, .025" x 1/4" Blade			
Working Round File Set (4 pcs.)			Mill File Set (4 pcs.)
File Handle, 4 1/2" Long			,
Tinner Snips, 1 1/2" Blades, 7" Long Tinner Snips, 2 1/4" Blades, 10" Long Straight Cut Shears, 10" Long Right Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Micrometer, 3" - 4" Range Tools Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set, (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs.) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .026" x 1/4" Blade Offset Flat Tip, .026" x 1/4" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, 11 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Tools Hex Hex Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Upen End Wrenches Similine Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench	-		,
Tinner Snips, 2 1/4" Blades, 10" Long Straight Cut Shears, 10" Long Right Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Measuring Tools Measuring Tools Measuring Tools Measuring Tools Measuring Tools Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Tools Heavy Duty Flashlight Horque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Den End Wrenches 12-Point e Down Find Wrench Set (5 pcs.), 3/16" thru 9/16" Soldering Combination e Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"	10010		
Straight Cut Shears, 10" Long Right Cut Shears, 10" Long Left Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Measuring Tools Measuring Tools Measuring Tools Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) Flat Tip Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Heavy Duty Flashlight Tools Osoldering Tools Heavy Duty Flashlight Tools Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 3/8" Drive, 0 - 175 lb.ft. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches 12-Point e 12-Point Combination Wrench Set (5 pcs.), 3/16" thru 9/16" Box e Dwarf Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Right Cut Shears, 10" Long Left Cut Shears, 10" Long Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Measuring Tools Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip, Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror 75 Watt Soldering Gun (120 Volt) Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches 12-Point e Dowarf Box Wrench Set, 3/16" thru 3/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Left Cut Shears, 10" Long			
Drill Bit Set (13 pcs.), 1/16" - 1/4" Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Measuring Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Tools Heavy Duty Flashlight Honged Rectangular Mirror, 16 1/2" Long Replacement Mirror Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrench Set, .028" thru 3/4" Wrenches Open End Wrench Set, .028" thru 3/4" Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Hacksaw, uses 10" or 12" Blades Hacksaw Blades, 12 " x 32 Teeth (10 each) Micrometer, 3" - 4" Range Steel Rule, 6" Long			· · · · · · · · · · · · · · · · · · ·
Measuring Tools Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .036" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Heavy Duty Flashlight Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Torque In Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 3/8" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), 3/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Micrometer, 3" - 4" Range Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools 260 Watt Soldering Iron (120 Volt) Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Open End Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Box Wrench Set, 3/8" thru 1 5/16" Box Box Wrench Set, 3/16" thru 3/16"			
Steel Rule, 6" Long Tape Measure, 10' Long Aviation Wire Gap Gauge 8 wires .010"030" w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering To Watt Soldering Iron (120 Volt) Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Copen End Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"	Magazzina		
Tape Measure, 10¹ Long Aviation Wire Gap Gauge 8 wires .010"030" W/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Fools Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torque Wrenches Open End Wrenches Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point Box Box Wrench Set, 3/8" thru 1 5/16" Box Box Wrench Set, 3/8" thru 1 5/16" Box Wrenches 12-Point Box Wrench Set, 3/8" thru 1 5/16"	U		•
Aviation Wire Gap Gauge 8 wires .010"030"	100IS		
w/electrode bender Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Heavy Duty Flashlight Tools Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tos Watt Soldering Iron (120 Volt) 260 Watt Soldering Gun (120 Volt) Torque Measuring Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches 12-Point e 12-Point combination Wrench Set (11 pcs.), 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Feeler Gauge (25 Blades), .002023 Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Tiools Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering To Watt Soldering Iron (120 Volt) Torque Nout Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Open End Wrench Set, .028" thru 3/4" Wrenches Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 2/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 2/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Elec. Thin Blade Screwdriver Set (5 pcs.), 3/16" thru 9/16" Elec. Thin Blade Screwdriver Set (15 pcs.), 3/16" thru 9/16" Elec. Thin Blade Screwdriver Set (15 pcs.), 3/16" thru 9/16" Elec. Thin Slade Screwdriver Set (15 pcs.)			
Feeler and Ignition Gauge (10 Blades), .003"008", (16 fingers), .008"035" Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long M Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tos Watt Soldering Iron (120 Volt) Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Screwdrivers Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Torque Torque Neplacement Mirror Torque Neplacement Mirror Torque Newrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Hex Wrenches Open End Wrenches Open End Wrenches Short Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Elec. Thin Blade Screwdriver Set, (5 pcs.), 2/16" thru 9/16" Soldering Tools Torque Wrench, S/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point Elec. Thin Blade Screwdriver Set, (5 pcs.) Box Wrench Set, 3/8" thru 1 5/16" Box Wrenches 12-Point Elec. Thin Blade Screwdriver Set, (5 pcs.) Flat Tip Screwdriver Set, (5 pcs.) Flat Tip Screwdriver Set, (12 pcs.) Flat Tip, 2025" x 1/4" blade Offset Flat Tip, .026" x 1/2" blade Offset Flat Tip, .026" x 1/4" blade Offset Flat Tip, .026" x 1/2" blade Offset Flat Tip, .026" x 1/4" blade Offset Flat Tip, .026" x 1			
Elec. Thin Blade Screwdriver Set (5 pcs.) PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Torque To Watt Soldering Gun (120 Volt) 260 Watt Soldering Gun (120 Volt) Torque Norque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Open End Wrenches 12-Point E Box Wrench Set, 3/8" thru 1 5/16"			
PHILLIPS® Screwdriver Set, (5 pcs) Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Flools Torque Torque Merench Mirror Torque Mrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Hex Wrenches Open End Wrenches Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (11 pcs.), 3/8" thru 1" in a Plastic Tray Wrenches 12-Point Box Box Wrench Set, 3/8" thru 1 5/16" Box Box Wrench Set, 3/8" thru 1 5/16" Box Box Wrench Set, 3/8" thru 1 5/16" Box Box Wrench Set, 3/8" thru 3/16"			
Flat Tip Screwdriver Set, (5 pcs) Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Fools Torque Torque Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torque Hex Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Open End Wrenches 12-Point E Box Wrenches Dwarf Box Wrench Set, 3/8" thru 1 5/16" Box E Box Wrench Set, 3/8" thru 15/16" Box Wrench Set, 3/8" thru 1 5/16" Box Dwarf Box Wrench Set, 3/16" thru 3/16"	Screwariver	S	· · /
Heavy Duty Flat Tip Screwdriver, 7 5/32" Long Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Torque Torque Norque Torque Norque Norque Neasuring Norque Norque Nerench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Hex Wrench Set, .028" thru 3/4" Wrenches Open End Wrenches Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrenches 12-Point Point Norque Nor			,
Offset Flat Tip, .025" x 1/4" Blade Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Torque Torque Torque Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Hex Wrench Set, .028" thru 3/4" Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches T2-Point E Box Box Wrench Set, 3/8" thru 1 5/16" Box Wrench Set, 3/16" thru 3/16"			
Offset Flat Tip, .030" x 5/16" Blade Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long m Nut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Tinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Soldering Tools Torque Torque Torque Torque Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Open End Wrenches T2-Point E Box Box Wrench Set, 3/8" thru 1 5/16" Box Wrench Set, 3/16" thru 3/16"			
Offset Flat Tip, .046" x 3/8" Blade Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools 260 Watt Soldering Iron (120 Volt) Torque Torque Torque Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Wrenches Open End Wrenches Open End Wrenches Slimline Open End Wrenches Slimline Open End Wrenches 12-Point E Box Dwarf Box Wrench Set, 3/8" thru 1 5/16"			
Offset PHILLIPS®, #1 and #2 Tips, #3 and #4 Tips Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Fools 260 Watt Soldering Iron (120 Volt) Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Torlols Hex Wrenches Open End Wrench Set, .028" thru 3/4" Wrenches Slimline Open End Wrench Set (15 pcs.), 3/16" thru 9/16" Slimline Dene End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Wrench Set (11 pcs.), 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			·
Flat Tip Screw Starter, 5" Long Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools Torque Tools Torque			·
Mut Driver Set, 1/4" - 1/2" Ratchet and Bit Set			· · · · · · · · · · · · · · · · · · ·
Ratchet and Bit Set Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering Tools 260 Watt Soldering Iron (120 Volt) Torque n Measuring n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Hex Wrench Set, .028" thru 3/4" Wrenches Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16" Wrenches Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Inspection Tools Heavy Duty Flashlight Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Tools Tools Tools Tools Torque Tools Torque		m	
Tools Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror Soldering 75 Watt Soldering Iron (120 Volt) Torque n Torque Wrench, 3/8" Drive, 0 - 600 lb.in. Torque Wrench, 1/2" Drive, 0 - 175 lb.ft. Tools Hex Hex Wrench Set, .028" thru 3/4" Wrenches Open End Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16" Wrenches Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Hinged Rectangular Mirror, 16 1/2" Long Replacement Mirror	Inspection		
Replacement Mirror			Hinged Rectangular Mirror, 16 1/2" Long
Tools 260 Watt Soldering Gun (120 Volt)			
Tools 260 Watt Soldering Gun (120 Volt)	Soldering		75 Watt Soldering Iron (120 Volt)
Torque	-		260 Watt Soldering Gun (120 Volt)
Torque Wrench, 1/2" Drive, 0 - 175 lb.ft.		n	
Tools			
Hex Wrench Set, .028" thru 3/4" Wrenches Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16" Wrenches Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"	-		
Wrenches Open End Wrenches Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16" Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Open End Sylimline Open End Sylimline Open End Sylimline Open End Sylimline S			Hex Wrench Set, .028" thru 3/4"
Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16" Wrenches Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" Open End 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			·
Wrenches Short Open End Wrench Set (5 pcs.), 3/16" thru 9/16" Slimline Low-Torque Slimline Open End, 7/16" x 1/2", 1/2" x 9/16" 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			Open End Wrench Set (15 pcs.), 1/4" thru 1 15/16"
Combination	•		
Open End 5/8" x 11/16", 3/4" x 7/8 Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
Wrenches 12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
12-Point e 12-Point Combination Wrench Set (11 pcs.), Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			5.5 A 71/10 , 0/1 A 7/0
Combination e 3/8" thru 1" in a Plastic Tray Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			12-Point Combination Wrench Set (11 ncs)
Wrenches 12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			
12-Point e Box Wrench Set, 3/8" thru 1 5/16" Box e Dwarf Box Wrench Set, 3/16" thru 3/16"		ı U	o, o una i mariasticitay
Box e Dwarf Box Wrench Set, 3/16" thru 3/16"			Ray Wrench Set 3/8" thru 1 5/16"
virononos i natoneting dux virenon set, 1/4 tillu 15/10			
	**101101169		Hatohoting box witchell oct, 1/4 tillu 10/10

6-Point	pec.	Description Flare Nut Wrench Set (5 pcs.), 1/4" thru 13/16"
Double End	i	Double End Flare Nut Wrench, 5/16" & 3/8"
Flare Nut	i	Double End Flare Nut, 7/16" & 1/2"
Wrenches	-	
Crowfoot		Crowfoot Open End, 3/8" Drive, 10 pcs. from 3/8" to 1 1/4"
Open End		(3/8" 7/16", 1/2", 9/16", 5/8",11/16", 3/4", 13/16", 7/8", 1 1/4")
Wrenches		
Adjustable		Adjustable Wrench Set (6 pcs.)
Wrenches		1/2" thru 1 11/16" Jaw Capacity
1/4" Drive	g	12-Point Standard Length Socket Set,
Tools	~	(10 pcs.), 3/16" thru 9/16"
	g	12-Point Socket Set (10 pcs. Deep),
	a	3/16" thru 9/16" 12-Point Universal Sockets, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
	g g	Double Square Sockets, 1/4", 5/16", 3/8"
	g	Hex Head Drivers, 9 pcs. from 5/64" to 1/4"
	g	(5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4")
	3	Clutch Head Drivers, 11/64", 15/64", 5/32"
		Carburetor Screwdrivers, 1/32" x 23/64", and 1/32" x 7/16"
		Flat Tip Short Driver, 1/4" x .032" tip
	g	Flat Tip Driver, 3/16" x .033" tip
		Flat Tip Drivers, 1/4" x .033" tip, 3/8" x .042" tip
		#1 PHILLIPS® Driver
		#2 PHILLIPS® Driver
		#2 PHILLIPS® Driver
	g	Standard Rachet (20 Teeth), 4 27/64" Long
	g	Breaker Bar, 6" Long Long Shank Driver, 5 3/4" Long
	g	Sliding T-Handle, 4 1/4" Handle
	g	Speeder, 3" Sweep, 17 29/32" Long
	g	Flexible Extension, 6" Long
	g	Flexible Driver, 6 3/4" Long
	3	Flexible Adaptor, 19 3/4" Long
		Ratchet Adaptor, 1 3/8" Long
		Ratchet Spinner, 27/32" Long
		Universal Joint, 1 15/64" Long
	g	Extension Bars, 2"and 6" Long
		Extension Bars, 4"and 14" Long
		Adaptors, 1/4" - 3/8", 3/8" - 1/4"
3/8" Drive	-	Metal Box for 1/4" Drive Tools 12-Point Standard Length Socket Set, (12 pcs.),
Tools	g	1/4" thru 7/8", on A269 Socket Rail and Clips
10015	g	12-Point Deep Socket Set, (11 pcs.),
	9	1/4" thru 7/8", on A269 Socket Rail and Clips
	g	12-Point Universal Socket Set (11 pcs.), 5/16" thru 15/16"
	3	We atherhead Sockets, 3/8", 7/16", 1/2", 9/16", 11/16", 3/4"
	h	Standard Ratchet (20Teeth), 7 9/16" Long
		Breaker Bar, 9 1/2 Long
		Plastic Handle Driver, 5 1/4" Long
	g	Speeder, 3 1/4" Sweep, 17 5/8" Long
		Flexible Extension, 8" Long
		Sliding T-Handle, 8" Handle Length
		Ratchet Adaptor, 2 1/16" Long
	_	Ratchet Spinner, 1 9/32" Long
	g	Universal Joint, 1 15/16" Long
1/2" Drive	_	Extension Bars, 3" Long, 4 9/16" Long, 6" Long, 12" Long 12-Point Socket and Accessory Set (25 pcs.),
Tools	•	3/8" thru 1 5/16", in KRA280 Metal Box
10010		Adaptor, 1/2" - 3/8"
Misc. Tools		Extractor Set, 1/4" - 1/2"
		Wire Brush, 14" Long
		Strap Wrench with 3/8" & 1/2" Drive
		Cotter Pin Puller, 8" Long
		Pocket Knife
		Flexible Pick-up Tool, 17 3/4" Long
		Magnetic Pick-up Tool, 26 3/4" Extension
		Putty Knives, 3 3/4" Long, 4 3/4" Long
		Awl, 8 1/2" Long
Storage		Pry Bar, 16" Long Roll Cab, 7 drawer, 26 5/8" x 19 3/4" x 38 1/2"

Unit

Basic Maintenance Tool Set 2061BAMB

Tool	Spec.	Description
Pliers		Combination, 9 1/8" Long
		Needle Nose w/Side Cutters, 2 1/4" Jaw
		Duckbill, 1 5/16" Jaw Length
		Diagonal Cutters, 3/4" Jaw Length
		Grooved Joint, 1 3/8" Jaw Capacity
Hammers	а	Ball Peen, 12 oz.
		Plastic Tip, 16 oz.
Punches	b	Center Punches, 1/8" Point, 3/16" Point
&	i	Flat Chisel, 5/8" Edge
Chisels	b	Long Tapered Punch, 3/16" Point
Metal		Mill File, 10" Long
Working		Round File, 8" Long
Tools		Half Round File, 8" Long
		File Handle, 4 1/2" Long
		Hacksaw, uses 10" or 12" Blades
Measuring	1	Steel Rule, 6" Long
Tools	,	Tape Measure, 10' Long
		Aviation Wire Gap Gauge, 8 wires,
		.010" thru .030" w/Electrode Blender
Screwdriv	ers	Flat Tip, 1/4" x 1 1/2" Blade, 3 1/4" Long
00.0114.11	0.0	Flat Tip, 1/4" x 4" Blade, 7 15/16" Long
		Elec. Thin lade, 10" Blade
		#1 PHILLIPS® 3" Blade, 6 1/4" Long
		#2 PHILLIPS® 4" Blade, 7 15/16" Long
		#3 PHILLIPS® 6 1/8" Blade, 10 3/8" Long
		Offset Flat Tip, .030" x 5/16" Tip
		Offset PHILLIPS ®, #1 and #2 Tips
		Flat Tip Screw Starter, 5" Long
Inspection	1	Heavy Duty Flashlight
Tools		Hinged Rectangular Mirror, 16 1/2" Long
Hex		Hex Wrench Set, (13 pcs.), 3/64" - 3/8"
Wrenches		in C112B Kit Bag
Open End		Open End Wrench End (12 pcs.),
Wrenches		in C124 Kit Bag, 1/4" thru 1"
Combinati		12-Point Standard Length Combination
Wrenches		Set (11 pcs.), 3/8" thru 1"
12-Point E		12-Point Dwarf Box Wrench Set
Wrenches		(9 pcs.), 3/16" thru 13/16"
Adjustable		Adjustable, 1/2" Jaw Capacity
Wrenches		Adjustable, 172 Jaw Capacity Adjustable, 3/4" Jaw Capacity
***************************************		Aujustusis, or a saw supusity

Tool	Spec.	Description
1/4" Drive	g	6-Point Sockets, 1/8", 5/32"
Tools	g	12-Point Standard Length Socket Set,
		(10 pcs.), 3/16" thru 9/16"
	g	12-Point Deep Socket Set, (10 pcs.), 3/16" thru 9/16"
	g	12-Point Universal Sockets, 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
	g	Double Square Sockets, 1/4", 5/16", 3/8"
	g	Hex Head Drivers, 9 pcs from 5/64" to 1/4"
	3	(5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4")
		Clutch Head Drivers, 11/64", 15/64", 5/32"
		Carburetor Screwdrivers, 1/32" x 23/64", and 1/32" x 7/16"
		Flat Tip Short Driver, 1/4" x .032" tip
	g	Flat Tip Driver, 3/16" x .033" tip
	9	Flat Tip Driver, 1/4" x .033" tip
		Flat Tip Driver, 3/8" x .042" tip
		PHILLIPS © Driver, #1 Bit
		PHILLIPS © Driver, #2 Bit
		PHILLIPS © Driver, #2 Bit
	g	Standard Rachet, 4 27/64" Long
	g	Breaker Bar, 6" Long
	g	Long Shank Driver, 5 3/4" Long
	g	Speeder, 3" Sweep, 17 29/32" Long
	a	Sliding T-Handle, 4 1/4" Handle
	g	Flextension, 6" Long
	g	Flexible Driver, 6 3/4" Long
	g	
	~	Flexible Adaptor, 19 3/4" Long
	g	Ratchet Adaptor, 1 3/8" Long
	g	Ratchet Spinner, 27/32" Long
	_	Universal Joint, 1 15/64" Long
	g	Extension Bar, 2" Long
		Extension Bars, 4" Long, 6" Long, 14" Long
		Adaptor, 1/4" - 3/8"
0 (0 D .		Metal Box for 1/4" Drive Tools
3/8" Drive	•	12-Point Socket and Accessory Set, (18 pcs.), in Metal Box
Tools		12-Point Deep Sockets, 5/8", 11/16", 3/4"
4 (OII D. I		Adaptors, 3/8" & 1/2", and 3/8" & 1/4"
1/2" Drive	g	12-Point Sockets, 15/16", 1" 1 1/16", 1 1/8", 1 3/16""
Tools		
1/2" Drive	9	12-Point Socket, 1 1/4"
(Cont.)	g	12-Point Deep Sockets, 13/16", 7/8", 1"
	j	Standard Ratchet, 10 1/4" Long
	g	Breaker Bar, 18' Long
	g	Extension Bar, 2" Long
	g	Adaptor, 1/2" - 3/8"
Misc. Tool:	S	Flexible Pick-up Tool, 17 3/4" Long
		Cotter Pin Puller, 8" Long
		Awl, 8 1/2" Long
Storage		Tool Chest, 4 drawer, 21" x 8 3/4" x 19 1/4"
Unit		







INCREASING FLIGHT SAFETY

Over 30 years of experience and tens of thousands of kits – all custom tailored to suit your needs. Snap-on continues to set the bar for maximum productivity and flight safety.

No one offers you more. More selection. More sets. More experts to assist you. More understanding of your needs. Whether you need one kit or one thousand kits, Snap-on can provide the kit you need for any application.

> Contact your Snap-on Industrial sales representative who will be glad to help you select the right tools, tool sets and tool control to meet your specific needs.







Army Kits:

Power Plant Technical Inspection General Mechanical **Sheet Metal** Electrical Hydraulic

Powertrain **USAF Kits:**

APG CTK APG Launch CTK **Custom TDY CTK Engine CTK** E7E CTK C130 Mobility

Army Aviation Kits:

AH6, AH7 Crew Chief Airframe Blackhawk Phase Chinook Crew Chief Crew Chief Electronics **Engine Shop** Hydraulics Shop Prop and Rotor

Small Arms Marine Kits:

Marine Common 1

Navy Kits:

LM2500 Contents

Acronym	Full Nomenclature
TAMS/APG	Technical Aircraft Maintenance Specialists/ Air Power Generation
AVIONICS	Radar, Instruments, Communications, Navigation, Flight Controls and Electronic Counter Measurers
WEAPONS	Conventional Munitions and Maintenance
APG TDY KIT	Air Plane General Temporary Duty Maintenance
ARMAMENT	Gun, pylon, and launcher Maintenance
PHASE Dock Box	Chronological Inspection and Maintenance
ENGINE BOX	Power Plant, Start Systems and Gear Box Maintenance
DEMO TEAM	F-16/F-15/F-22 Demonstration Minor maintenance Launch and Recover Kit
CANN DOCK BOX	Cannibalization Dock Box
JEIM	Jet Engine Intermediate Maintenance
E& E Box	Electric and Environmental Control Systems
POD Box	Electronic Counter Measurer
Weapons Line Kit	Weapons

Acronym	Full Nomenclature
SPEC BOX	Radar, Instruments, Communications, Navigation, Flight Controls and Electronic Counter Measurers
AGE	Aerospace Ground Equipment
PMEL	Precision Measurement Equipment Laboratory
TRANS	Transportation Vehicle maintenance
E&E In Shop	Electric and Environmental Control Systems
R&R/ RECOVERY	Repair and Reclamation
EGRESS	Ejection Seat Maintenance
Sheet Metal	Structural Repair
LO BARN	LOW Observance Coating Maintenance
Fuel Shop	Fuel System maintenance
TM	Trailer Maintenance
PGM	Precision Guidance munitions
Conventional	Conventional Air to Ground munitions





SNAP-ON COMMERCIAL KITS SNAP-ON COMMERCIAL KITS



THE QUALITY AND COVERAGE YOU DEMANDED

Our OEM and commercial aviation customers agree:

Snap-on is the world leader in custom kits. Whether you're managing a small operation or large fleet, Snap-on can deliver a kitting solution to increase productivity and flight safety; no one offers more. The following is a partial list of the many kits that have been developed with our customers for specific commercial aviation

Industrial representative.

to develop a custom kit, contact your Snap-on

For a complete listing of all available kits, or





Boeing:

requirements.

A-Check Mechanical – all aircraft A-Check Electrical – all aircraft B-C-D-Check General Mechanical – all B-C-D Check Electrical – all aircraft Boeing and Airbus General Mechanic **Engine Change kits** Sheet Metal kits Flight Line (FOD bag) B737 General Mechanic

Airbus:

A-Check Mechanical – all aircraft A-Check Electrical – all aircraft B-C-D-Check General Mechanical – all A350 General Mechanic Kit A380 Torque Tool & Accessories kit A380 Bolter kit A380 Structure kit A380 Drillers kit A319, A340, & B737 A-Check General Mechanic A319, A340, & B737 to B767 A-B-Check General Mechanic kit A319, A340, & B737 to B767 Electrical Engine Change kit Flight Line (FOD bag)



OEM and airlinedetermined kits:

BAE Systems Beechcraft Bombardier Cessna **Embraer**

Fokker Gulfstream Lear

Falcon

Helicopter:

Agusta Bell Boeing Eurocopter Robinson

Propulsion:

Pratt & Whitney Rolls Royce

From OEM assembly to flight line maintenance, Snap-on has your solution. Contact your Snap-on Industrial sales representative who will be glad to help you select the right tools, tool sets and tool control to meet your specific needs.

